



Swingers Outriggers
AUSTRALIAN INNOVATION

BLUEWATER DIVISION CATALOGUE

www.reelax.com.au



PRODUCT CATALOGUE CONTENTS



COMPLETE OUTRIGGERS KITS, BASES AND SPARES

Drop In Outrigger Kits	5
Gunwale / Cabin Mount Outrigger Kits	6
T-Topper Gunwale Mount	7
Reelax Reef 550 Stainless Steel Outrigger Kits	8
Swingers Outriggers Kit	9
Swingers Outriggers Kit - Black Edition	10
Junior 600 Outrigger Kits	11
Midi 1250 Outrigger Kits	12
Maxi 2000 & Supa Maxi 3000 Outrigger Kits	13
Bluewing Outrigger Base - Roof Mount Adjustable	14
Drop In Outriggers	15
Standard Centre Shotgun Rigger Outrigger Kits	15
Deluxe Centre Shotgun Rigger Outrigger Kits	16

OUTRIGGER POLES

Fibreglass Outrigger Poles - 40mm Diameter	17
Grander Series 12K Carbon Outrigger Poles - 38mm Diameter	17
Grander Series 3K Carbon Telescopic Outrigger Poles - 38mm Diameter	17
Grander Series 3K Carbon Outrigger Poles - 40mm Diameter	18
Grander Series 3K Carbon Telescopic Outrigger Poles - 40mm Diameter	18
Centre Rigger/Shotgun Outrigger Poles - 40mm Diameter	18
Fibreglass Outrigger Poles - 46-47mm Diameter	19
Grander Series Carbon Outrigger Poles - 46-47mm Diameter	19
Outrigger Pole Alloy Spear Tips	19

RIGGING KITS

Rigging Kit To Suit All Reelax Outrigger Poles to 6.5m with Black Marine Clips	20
Rigging Kit to Suit All Reelax Outrigger Poles to 6.5m with Bluewing Clips	20
Rigging Kit to Suit 7.75m Reelax Outrigger Poles with Bluewing Clips	20
Rigging Kit Standard Replacement Kit	20
Rigging Kit to Suit Single Centre Rigger Pole	21
Rigging Kit Complete with Tagline Return	21
Tagline Return Kit – 6 Ball Stop	21
Tagline Return Kit – 2 Ball Stop	21

OUTRIGGER ACCESSORIES

Outrigger Rigging Kit Spare Eye Bolt Kit	22
Outrigger Rigging Kit Spare Snubber / Shock Cord	22
Outrigger Rigging Kit Spare Stainless Steel Tagline Weight 150g	22
Outrigger Ball Stops - Black Pair	22
Reelax Outrigger Spare Aluminium Crimps	22
Outrigger Rigging Kit Spare UHWMPE Braid 2mm / 30m Roll	23
Bluewing Stainless Steel Snap Swivels	23
Blacks Original Release Clips	23
Outrigger and Flatline Release Clips	23
Aftco Roller Troller Flat Line Release Clip	24
Aftco Roller Troller Outrigger Release Clip	24
Self-Serviceable Line Lock Pro Stainless with Rope	25
Outrigger Line Locks	25
Outrigger Halyard Lock Pulley	25
Quick Release Spare Pin SS Junior 600 Black Edition	26
Reef Rigger 550 Outrigger Base & Standard Center Rigger Stainless Steel Spare Pin	26
T-Top / Maxi / Multi / Deluxe Centre Rigger Stainless Steel Spare Pin	26
316 Stainless Steel Outrigger Hold-Up Bracket	26
Outrigger Base Feet Packer / Spacer – Small or Large	26

CONTENTS



FISHING GEAR & ACCESSORIES

Adjustable Dredge Boom Stainless Steel with Rod Holder	27
Multi Mount Rod Rigger Adjustable - Stainless Steel	27
Carbon Fibre 2-Piece Tag Pole with 3 Interchangeable Tag Applicators	28
Telescopic Aluminium Tag Pole with 3 Interchangeable Tag Applicators	28
Tag Pole GoPro Camera Mount Adaptor	28
Harpoon	29
Grander Series 3K Carbon Gaff with Stainless Steel Cast Head	29
Stainless Steel Deep Drop / Meat Hook	30
Heavy Duty Rod & Reel Safety Leash	30
Hollow Needle Kit	31
Fishing Planer	31
Spreader Bars	32
Dredges	33
Rod Rack	34
Adjustable Bent Rod Butts	34
Spare Ferrule with Nut	35
Heavy Duty Roller Sets	35
Roller Tip-Tops	35
Bulletproof Tracing Leadering Gloves	36
Electric Reel	37
V2 Electric Auto Downrigger	38
Manual Downrigger	39
Auto Chunkers	40
V3 Automatic Line Winder	41
Manual Line Winder	41
Deep Drop Lights	

ROD HOLDERS

Rod Holder - 0° Bluewater - Rotating - Stainless Steel	42
Rod Holder - 15° Bluewater - Rotating - Stainless Steel	43
Rod Holder - 30° Bluewater - Rotating - Stainless Steel	43
Rod Holder - 0° Streamline - Rotating - Stainless Steel	44
Rod Holder - 15° Streamline - Rotating - Stainless Steel	44
Rod Holder - 30° Streamline - Rotating - Stainless Steel	45
Rod Holder - 0° Bluewater - Fixed - Stainless Steel	46
Rod Holder - 15° Bluewater - Fixed - Stainless Steel	46
Rod Holder - 30° Bluewater - Fixed - Stainless Steel	46
Rod Holder Accessories - Bluewater Series / Streamline / Fixed	47
Standard Stainless Steel Rod Holder	48
Standard Stainless Steel Rod Holder with Insert & Cap	48
Standard Stainless Steel Rod Holder with Insert, Cap & Drain	48
Heavy Duty Stainless Steel Rod Holder	48

ROD HOLDERS CONT.

Heavy Duty Stainless Steel Rod Holder with Drain	49
Rod Holder Insert Black	49
Reelax Rod Holder Sealing Cap & Gasket Black	49
Reelax Rod Holder Extender 70mm	49
Reelax Rod Holder Swivel	49
Stainless Steel 6 Way Heavy Tackle Rod Rack Pontoon Mount	50
Stainless Steel Coaming Rod Racks	50

TUNA / LIVE BAIT TUBES

Live Bait / Slimy Tube Twin Rod Holder Mount Stainless Steel	51
Slimy Twin Tube Through Transom Concealed Inlet	51
Bonito Twin Tube Through Transom Concealed Inlet Stainless Steel	52
Live Bait / Slimy Tube Single Gunnel Mount Stainless Steel	52
Live Bait Twin Slimy Tube – Gunnel Mount Centre Inlet	52
5 Hole Live Bait Gunnel mount – Slimy/Bonito	53
Bonito Tube Twin Gunnel Mount Stainless Steel	53
Live Bait / Tuna Tube Single Transom Mount Stainless Steel	53

FIGHTING GAME CHAIRS

Game Fighting Chair 80lb NFC	54
Replacement 80lb NFC/LTD Game Chair Pedestal & White Swivel Top	54
Replacement 80lb NFC Game Chair Cushion Set	54
Game Fighting Chair 130lb AFC	55
Replacement 130lb AFC Game Chair Pedestal with Handles	55
Game Fighting Chair 130lb AFC with Offset Pedestal	56
Replacement 130lb AFC Game Chair Offset Pedestal with Handles	56

GAME CHAIR SPARES & ACCESSORIES

Fighting Chair 130lb AFC with Prep Board Back Mount	57
Fighting Chair 130lb AFC Grey with Prep Board Back Mount	57
Replacement 130lb AFC Game Chair Cushion Set	58
Game Fighting Chair Harness for AFC	58
Game Chair Cover Vinyl White Only	58
Fighting Chair Gimble Snubber	58
Fighting Chair Spare Gimble Cup	59
Light Tackle Station Prep Board Back Mount	59



TACKLE STATIONS

Light Tackle Station Rocket Launcher & Stainless Steel Pedestal White Swivel	60
Light Tackle Station White Rocket Launcher with Slimy Tubes & Stainless Steel Pedestal	60
Light Tackle Station Prep Board with Exploding Fish Rod Holders & Stainless Steel Pedestal	61
Light Tackle Station Prep Board & Stainless Steel Pedestal White Pedestal	61
Light Tackle Station – Deluxe Prep Board & Stainless Steel Pedestal	62
Light Tackle Station with Deluxe Prep Board/Tackle Drawer & Stainless-Steel Pedestal	62

TABLE PEDESTALS & MOUNTS

Light Tackle Station with Deluxe Prep Board / Live Bait & Stainless Steel Pedestal	63
Table Pedestal 645mm Stowable Stainless Steel Mirror Polished Fixed Table Leg	63
Table Pedestal Stainless Steel Removable 750mm	64
Stainless Steel Floor / Deck Plate to Suit Removable Table Pedestals	64
Table Top Fibreglass Small	64

MARINE VINYL

Standard Monocolour Vinyl T/s Relaxn Seats – P/M	65
Carbon Texture Vinyl Per Metre	65
Stitched Pattern Vinyl T/s Relaxn Nautilus Series Seats – P/M	65
Stitched Pattern Pacific Vinyl inc. Gauze & 5mm Foam – P/M	65

SEAT & PEDESTAL MOUNTS

Stainless Steel Floor / Deck Plate	67
Stainless Steel Seat Mount / Pedestal 750mm	67
Stainless Steel Short Post Storage Box Seat Mount / Pedestal 150mm	67
Aluminium Alloy Seat Swivel Top Mount for Stainless Pedestals	67

BOATING ACCESSORIES

Bottle Opener SS316 include Mounting Hardware	67
Stainless Steel Reef Anchor Holder Clamp On	68
Boarding Handle 316G Stainless Steel	68
Carbon Fibre Deck Brushes	68
Sunshades	69

MOORING

Mooring Line Holder Heavy Duty 2.3m Includes Base, Hook & Pole	70
Mooring Whip Cast Standard 4.5m Suit 5-9m Boats	70
Mooring Whip 2-Piece 5m with HD 316SS Collar – Suit 9-17m Boats	71
Mooring Whip SS Replacement Base	71
Rope Kit to Suit Heavy Duty or Standard Mooring Whips	71

APPAREL

Sun Hats	72
Grey Sun Gloves	72
Grey Sun Shirts	72



COMPLETE OUTRIGGERS KITS, BASES AND SPARES



Drop In Outrigger Kits

New to the range is the Reelax Drop-In Outriggers. These are so simple, put a set of poles in the bases either 3m or 4.5m Reelax Outrigger Poles in 41mm diameter, and then simply drop in an existing rod holder in your boat and you are ready to go! No need to mount bases in your boat with these gems! Constructed of 316 stainless-steel or powder coated an alluring satin black, you will be ready to maximise your spread in no time! These are sold as a pair.


Matched with your choice of Reelax Outrigger Poles (Pair), a Stainless-Steel Rigging Kit and Silver Alloy Spear Tips you will have a formidable combination to head out on the water on your next adventure!

Part No.	Description	Pole Type	Length (m)	Sold As
RX79700	Drop In Outrigger Kit - SS Black Edition	Black Fibreglass	3	Pair
RX79710	Drop In Outrigger Kit - SS Polished	Black Fibreglass	3	Pair
RX79720	Drop In Outrigger Kit - SS Black Edition	3k Carbon	3	Pair
RX79730	Drop In Outrigger Kit - SS Polished	3k Carbon	3	Pair
RX79740	Drop In Outrigger Kit - SS Black Edition	Black Fibreglass	4.5	Pair
RX79750	Drop In Outrigger Kit - SS Polished	Black Fibreglass	4.5	Pair
RX79760	Drop In Outrigger Kit - SS Black Edition	3k Carbon	4.5	Pair
RX79770	Drop In Outrigger Kit - SS Polished	3k Carbon	4.5	Pair
RX69000	Outrigger Base Black Drop In			Pair
RX69100	Outrigger Base Polished S.S Drop In			Pair

Bases are constructed from 316 Marine Grade Stainless Steel and Mirror Polished or Black Powder coat.

Complete Drop In Kits Includes:

- Pair of Drop In bases.
- Pair of outrigger poles (inc. eye bolts).
- Pair of alloy spear tips.
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.





COMPLETE OUTRIGGERS KITS, BASES AND SPARES

Gunwale / Cabin Mount Outrigger Kits

Reelax Gunwale mount outriggers designed for deck, cabin or flybridge mounting on just about any size boat. Thanks to the unique Reelax slotted spline, it is infinitely adjustable, with 20 positions.

The whole concept works on the K.I.S.S. principle. There is nothing to unclip, fold down, undo or unscrew. The crew person simply takes the outrigger pole, lifts the rigger momentarily to the desired trolling or travelling position and slots it back down, and away you go. It really is that simple!



Bases Only
RX61000


Part No.	Type	Pole Type	Pole	Pole Length (m)	Sold As
RX79100	Gunwale Mount Kit - Polished	2-Piece	Black Fibreglass	3	Pair
RX79110	Gunwale Mount Kit - Polished	2-Piece	Black Fibreglass	4.5	Pair
RX79120	Gunwale Mount Kit - Polished	2-Piece	3K Carbon	4.5	Pair
RX79124	Gunwale Mount Kit - Polished	Telescopic	3K Carbon	4.5	Pair
RX61000	Outrigger Base Gunnel Mount - Polished S.S				Pair
RX61900	Outrigger Base Gasket Suits Gunnel Mount				Pair

Bases are constructed from 316 Marine Grade Stainless Steel and Mirror Polished.

Complete Gunwale Mount Kits Includes:

- Pair of bases with gasket and cap.
- Pair of outrigger poles (inc. eye bolts).
- Pair of alloy spear tips.
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.

3K Telescopic Pole



Mounting Plate Measurements



3K Carbon



RX61900



Alloy Spear Tips



COMPLETE OUTRIGGERS KITS, BASES AND SPARES



T-Topper Gunwale Mount

The Reelax T-Topper is a light to medium tackle (up to and including 24kg – 50lb) trolling outrigger base. Best suited for trailer boats, the Reelax T-Topper can be mounted to the horizontal surface of a T-Top, cabin roof, or top side of coamings, or gunwale, or even a

vertical plane on the Targa side. Adjustable up and down, as well as in and out. The stainless steel tube diameter is 44.45 mm O.D and 41mm I.D. Constructed of 316G stainless steel, electropolished, then mirror polished.

Part No.	Type	Pole Type	Pole	Pole Length (m)	Sold As
RX79000	T-Topper Kit - Polished	2-Piece	Black Fibreglass	3	Pair
RX79010	T-Topper Kit - Polished	2-Piece	Black Fibreglass	4.5	Pair
RX79020	T-Topper Kit - Polished	2-Piece	3K Carbon	4.5	Pair
RX79024	T-Topper Kit - Polished	Telescopic	3K Carbon	4.5	Pair
RX60000	Base Only - Outrigger Base Gunnel Mount T-Topper - SS				Pair
RX60110	Replacement/Spare T-Topper Cap & Gasket Each				
RX60120	Outrigger Base Gunnel Mount T-Topper Female Socket Pair				Pair
RX60300	Replacement/Spare Stainless Steel Quick Release Pin				

- Bases are constructed from 316 Marine Grade Stainless Steel and Mirror Polished.
- Suit tackle up to 24kg.

Complete T-Topper Kits Includes:


- Pair of bases with gasket and cap.
- Pair of outrigger poles (inc. eye bolts).
- Pair of alloy spear tips.
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.



Bases Only
RX60000



RX60120



Mounting Plate Measurements



RX60110




RX60300



3K Telescopic Pole



Alloy Spear Tips



3K Carbon





COMPLETE OUTRIGGERS KITS, BASES AND SPARES

Reelax Reef 550 Stainless Steel Outrigger Kits

You know what they say.... bigger is always better, and the all-new Reelax Reef 550 is going to take your excitement to the next level when out game fishing! Made from 316 Stainless Steel, either mirror polished or powder coated in an alluring satin black.

The Reef 550 features a longer rigger tube to perfectly match the Reelax 5.5m outrigger poles. The area needed to mount these is 310mm x 230mm, making it easy for you to upgrade if you have a set of Reef 450's currently.




Part No.	Type	Pole Type	Pole	Pole Length (m)	Sold As
RX79270	Reef 550 Kit - Black Edition	2-Piece	Black Fibreglass	4.5	Pair
RX79275	Reef 550 Kit - Black Edition	2-Piece	3K Carbon	4.5	Pair
RX79277	Reef 550 Kit - Black Edition	Telescopic	3K Carbon	4.5	Pair
RX79285	Reef 550 Kit - Black Edition	2-Piece	3K Carbon	5.5	Pair
RX79287	Reef 550 Kit - Black Edition	Telescopic	3K Carbon	5.5	Pair
RX79250	Reef 550 Kit - Polished	2-Piece	Black Fibreglass	4.5	Pair
RX79255	Reef 550 Kit - Polished	2-Piece	3K Carbon	4.5	Pair
RX79257	Reef 550 Kit - Polished	Telescopic	3K Carbon	4.5	Pair
RX79265	Reef 550 Kit - Polished	2-Piece	3K Carbon	5.5	Pair
RX79267	Reef 550 Kit - Polished	Telescopic	3K Carbon	5.5	Pair
RX62500	Reef 550 Pair of Polished Bases				Pair
RX62550	Reef 550 - Black Edition Pair - Bases Only				Pair
RX60500-SET	Outrigger Base Feet Packer/Spacer - White (6 Piece) - Sold as a Set				Set
RX60502-SET	Outrigger Base Feet Packer/Spacer - Black (6 Piece) - Sold as a Set				Set
RX70023	Outrigger Pole Protectors - Ideal for Reef & Junior Series - Pair				Set

- 316G stainless steel base either polished or powder coated black.

Complete Reef 550 Kits Includes:

- Pair of Reef 550 bases.
- Pair of outrigger poles (inc. eye bolts).
- Pair of alloy spear tips.
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.

3K Telescopic Pole



Locking Bracket



Alloy Spear Tips



3K Carbon



RX60502-SET



RX60500-SET



COMPLETE OUTRIGGERS KITS, BASES AND SPARES



Swingers Outriggers Kit

Swingers Outriggers® feature an internal spring-loaded mechanism with simple key-lock positioning.

Swingers Outriggers® can be adjusted for slow-trolling livebaits or at higher angles for various lure trolling positions. The simple pull-twist-release action makes it effortless to switch fishing angles and to upright stowage, without the need for pins or bolts.

Swingers Outriggers® have an Australian – PATENT and U.S. -PATENT in place. These can be side mounted, or top mounted on top of a hardtop or gunwale.

Match the Swingers Outriggers® bases with the Reelax Grander Series Carbon Fibre Outrigger Poles and you will have a formidable combination to catch that next trophy fish

Part No.	Type	Pole Type	Material	Length (m)	Sold As
RX79800	Swingers Outrigger Kit - Poles & Rigging	2-Piece	3K Carbon	4.5	Pair
RX79850	Swingers Outrigger Kit - Poles & Rigging	2-Piece	3K Carbon	5.5	Pair
RX79810	Swingers Outrigger Kit - Telescopic Poles & Rigging	Telescopic	3K Carbon	4.5	Pair
RX79860	Swingers Outrigger Kit - Telescopic Poles & Rigging	Telescopic	3K Carbon	5.5	Pair
RX69500	Swingers Outrigger Base Pair	-	316G S.S	-	Pair

- 316G stainless steel.
- Easy to use.
- Multiple key lock positions.
- Internal spring-loaded mechanism.
- Ultra strong.
- Polished finish.
- Mounting hardware included.

Swingers Outriggers® Kits Includes:

- Pair of Swingers bases.
- Pair of outrigger poles (inc. eye bolts).
- Pair of alloy spear tips.
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.
- Mounting hardware.





COMPLETE OUTRIGGERS KITS, BASES AND SPARES

Swingers Outriggers Kit - Black Edition

NEW to the range the sam trusted Swingers® Outriggers with an easy to angle internal spring-loaded mechanism with a new Sleek Black Finish.

Swingers Outriggers® feature an internal spring-loaded mechanism with simple key-lock positioning.

Swingers Outriggers® can be adjusted for slow-trolling live baits or at higher angles for various lure trolling positions. The simple pull-twist-release action makes it effortless to switch fishing angles and upright stowage, without the need for pins or bolts.

Swingers Outriggers® have an Australian – PATENT and U.S. -PATENT in place. These can be side mounted, or top mounted on top of a hardtop or gunnel.

This Complete Outrigger Kits matches the Swinger Outriggers with a pair of Grander Series 3K Carbon Outrigger Poles, Silver Alloy Spear Tips, and a Reelax Stainless Steel Rigging and Tagline Kit.

Part No.	Type	Pole Type	Material	Length (m)	Sold As
RX79870	Black Swingers Outrigger Kit - Poles & Rigging	2-Piece	3K Carbon	4.5	Pair
RX79875	Black Swingers Outrigger Kit - Telescopic Poles & Rigging	Tele	3K Carbon	4.5	Pair
RX79890	Black Swingers Outrigger Kit - Poles & Rigging	2-Piece	3K Carbon	5.5	Pair
RX79895	Black Swingers Outrigger Kit - Telescopic Poles & Rigging	Tele	3K Carbon	5.5	Pair
RX69501	Black Swingers Outrigger Base Pair	-	316G S.S	-	Pair

Swingers Outriggers
AUSTRALIAN INNOVATION



- 316G stainless steel.
- Easy to use.
- Multiple key lock positions.
- Internal spring-loaded mechanism.
- Ultra strong.
- Polished finish.
- Mounting hardware included.

Swingers Outriggers® Kits Includes:

- Pair of Swingers bases.
- Pair of outrigger poles (inc. eye bolts).
- Pair of allow spear tips.
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.
- Mounting hardware.



Junior 600 Outrigger Kits

The middle-weight scissor arm outriggers capable of all skirted lures and moderate size baits. Designed for use with 5.5 or 6.1m poles. The Junior Series features a 600mm long tube, with a tube diameter of 44.45 mm O.D and 41mm I.D. Made from 316 Stainless Steel, either mirror polished or powder coated in an alluring satin black.

Part No.	Type	Pole Type	Pole	Pole Length (m)	Sold As
RX79370	Junior 600 - Black Edition	2-Piece	3K Carbon	5.5	Pair
RX79375	Junior 600 - Black Edition	2-Piece	3K Carbon	6.1	Pair
RX79340	Junior 600 - Polished	2-Piece	3K Carbon	5.5	Pair
RX79360	Junior 600 - Polished	2-Piece	3K Carbon	6.1	Pair
RX63000	Base Only - Outrigger Base Junior 600mm 44 x 1.6mm 600mm - S.S				Pair
RX63050	Base Only - Outrigger Base Junior 600mm Black Edition 44 x 1.6mm 600mm - S.S				Pair
RX60500-SET	Outrigger Base Feet Packer/Spacer - White (6 Piece) Sold Separately				Set
RX60502-SET	Outrigger Base Feet Packer/Spacer - Black (6 Piece) Sold Separately				Set
RX70023	Outrigger Pole Protectors - Ideal for Reef & Junior Series - Pair				Pair

Bases are constructed of 316G stainless steel either polished or powder coated black.

Complete Junior 600 Kits Includes:

- Pair of Junior bases.
- Pair of outrigger poles (inc. eye bolts).
- Pair of alloy spear tips.
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.



Junior 600 - Black Edition


Junior 600



RX60502-SET



RX60500-SET




Mounting Plate Measurements



RX70023



Alloy Spear Tips



3K Carbon



COMPLETE OUTRIGGERS KITS, BASES AND SPARES

Midi 1250 Outrigger Kits

By far the best selling outrigger in the Reelax range, the midi 1250 has just had a makeover. These are made from 316G Stainless Steel, polished or powder-coated in an alluring satin black finish.





Features a 1250mm long rigger tube, with a tube diameter 50mm (O.D.). These are matched perfectly with our stiffest of 6.5m or 7.75m poles (tube diameter 47mm ID).

Part No.	Type	Pole Type	Material	Length (m)	Sold As
RX79590	Midi 1250 - Black Edition	2-Piece	3K Carbon	6.5	Pair
RX79592	Midi 1250 - Black Edition	2-Piece	12K Carbon	7.75	Pair
RX79585	Midi 1250 - Polished	2-Piece	3K Carbon	6.5	Pair
RX79587	Midi 1250 - Polished	2-Piece	12K Carbon	7.75	Pair
RX65250	Black Edition Midi 1250 Outrigger Base	-	316G S.S	-	Pair
RX65300	Midi 1250 Stainless Steel Outrigger Bases	-	316G S.S	-	Pair
RX60500-SET	Outrigger Base Feet Packer/Spacer - White (6 Piece) Sold Separately				Set
RX60502-SET	Outrigger Base Feet Packer/Spacer - Black (6 Piece) Sold Separately				Set

- 316G stainless steel base, polished or powder coated black.

Midi 1250 Outrigger Kits Includes:

- Pair of Midi 1250 bases.
- Pair of carbon fibre outrigger poles.
- Pair of alloy spear tips.
- Rigging Kit Includes: dyneema lines, crimps, pulleys, snubber, release clips.



COMPLETE OUTRIGGERS KITS, BASES AND SPARES



Maxi 2000 & Supa Maxi 3000 Outrigger Kits

Stepping up in size are the maxi outrigger! It's a scissor arm outrigger capable of all skirted lures and larger size baits. It should be used with only our stiffest Outrigger poles – ideal for 130lb heavy tackle fishing.

The Maxi 2000 features a 2000mm long rigger tube and the Supa Maxi a 3000mm long rigger tube, with a tube diameter of 50.8 mm O.D and 47mm I.D. When relying on your gear is paramount, these bad boys deliver! Constructed of 316 stainless-steel, electropolished, then mirror polished they look fantastic.

Matched perfectly with a pair of Reelax Grander Series Carbon Outrigger Poles, available in either 6.5M 3K Carbon Fibre or 7.75M 12K Carbon Fibre, a Stainless-Steel Rigging Kit and Silver Alloy Spear Tips you will have a formidable combination to head out on the water on your next adventure!




Part No.	Type	Pole Type	Pole	Pole Length (m)	Sold As
RX79600	Maxi 2000 polished	2-Piece	3K Carbon	6.5	Pair
RX79610	Maxi 2000 polished	2-Piece	12K Carbon	7.75	Pair
RX79650	Supa Maxi 3000 polished	2-Piece	12K Carbon	7.75	Pair
RX66000	Outrigger Base Maxi 2000mm 50.8 x 1.6mm - Polished S.S				Pair
RX66300	Outrigger Base Supa Maxi 3000mm 50.8 x 1.6mm - Polished S.S				Pair
RX60500-SET	Outrigger Base Feet Packer/Spacer - White (6 Piece) Sold Separately				Set
RX60502-SET	Outrigger Base Feet Packer/Spacer - Black (6 Piece) Sold Separately				Set

Bases are constructed from 316 Marine Grade Stainless Steel and Mirror Polished.

Complete Maxi 2000 / Supa Maxi 3000 Kit Includes:

- Pair of Maxi 2000 / Supa Maxi 3000 Stainless Steel Outrigger Bases.
- Pair of outrigger poles (inc. eye bolts).
- A pair of alloy spear tips
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.



Maxi Bases Only - RX66000





COMPLETE OUTRIGGERS KITS, BASES AND SPARES

Bluewing Outrigger Base - Roof Mount Adjustable

Part No.	Description	Pole Type	Length (m)	Sold As
RX79660	Bluewing SS Marlin 98 Complete Outrigger Kit - Inc Poles & Rigging	12k Carbon	5.5	Kit
RX79665	Bluewing SS Marlin 98 Complete Outrigger Kit - Inc Poles & Rigging	12k Carbon	6.1	Kit
RX79680	Bluewing Blk Marlin 98 Complete Outrigger Kit - Inc Poles & Rigging	12k Carbon	5.5	Kit
RX79685	Bluewing Blk Marlin 98 Complete Outrigger Kit - Inc Poles & Rigging	12k Carbon	6.1	Kit
RX79690	Bluewing Blk Marlin 98 Complete Outrigger Kit - Inc Poles & Rigging	3k Carbon Telescopic	5.5	Kit
RX79670	Bluewing SS Marlin 98 Complete Outrigger Kit - Inc Poles & Rigging	3k Carbon Telescopic	5.5	Kit
980200	Bluewing S.S Outrigger Base Silver (Single Handle) Blue Marlin 98	N/A	N/A	Pair
980201	Bluewing S.S Outrigger Base PVD Coated Black (Single Handle) Blue Marlin 98	N/A	N/A	Pair




980201



- **Premium Material:** Built with 316 stainless steel and aluminium alloy, the outrigger base offers superior rust resistance, exceptional durability, and corrosion resistance, ensuring long-lasting performance in the marine environments.
- **Effortless Operation:** Featuring a worm gear reducer, this outrigger base operates smoothly and with less effort, making it easier to raise, lower, and adjust the outrigger poles even under heavy use. Enjoy a more efficient and hassle-free fishing experience.
- **Enhanced Strength:** Designed with upgraded strength and features a self-locking mechanism for added security and reliability. Fully capable of high-speed trolling.
- **Ultimate Flexibility:** The removable crank handle allows for 360° horizontal and 0° - 35° vertical adjustments, letting you control both directions with just one handle from underneath the roof. This provides full flexibility to adjust your outrigger as needed.
- **Easy Installation:** The base is easy to install with a maximum roof thickness of 80mm and requires a hole diameter of only 70mm for installation, making setup quick and hassle-free without the need for complex tools.

Complete Bluewing Marlin 98 Outrigger Kits include

- Pair of Bluewing bases.
- Pair of outrigger poles (inc. eye bolts).
- Pair of alloy spear tips.
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.



980200




Drop In Centre Outriggers

New to the range are the Reelax Drop-in Centre Rigger Base. Simply place in a pre-existing rod holder in the centre of your boat to run a shotgun line out back! Such a simple and effective design allowing you to maximise fishing space!

This Outrigger Base Pairs perfectly with a Reelax 40mm diameter Outrigger Pole!



RX69200



RX69150

Part No.	Description	Pole Type	Pole Length (m)	Sold As
RX79990	Centre Shotgun Rigger with Rigging Kit - Black	Fibreglass	3m	Kit
RX79995	Centre Shotgun Rigger with Rigging Kit	3k Carbon	3m	Kit
RX79996	Adjustable Centre Drop-In Complete Outrigger Kit	3k Carbon	3m	Kit
RX69150	Centre Rigger Drop-in Outrigger Base	Polished S.S	N/A	Each
RX69200	Adjustable Centre Rigger Drop-in Outrigger Base	Polished S.S	N/A	Each

Drop In Centre Riggers Kits Includes:

- Reelax Drop In Centre Shotgun Rigger Base
- Outrigger Pole (inc eye bolts)
- Alloy spear tip
- S/S Rig Kit
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.



RX79990



RX79995



RX79996

Standard Centre Shotgun Rigger Outrigger Kits

The Reelax Standard Centre Rigger is adjustable to 3 different positions (15, 30 and 45 degrees). The unit folds up and down to allow pole to lay flat or stand up. Ideal for running a fifth line in the centre of the boat out past the riggers. Mainly used for light to medium trolling. Mounting feet to be approximately 150mm apart when fitted.

Designed to suit 3m centre rigger / shotgun poles. Constructed of 316 stainless steel, electropolished, then mirror polished

Matched with a Reelax 3K Carbon Fibre 3.0M Outrigger Pole, a Stainless Steel Rigging Kit and Silver Alloy Spear Tip you will have a formidable combination to head out on the water on your next adventure!

Part No.	Type	Pole Type	Pole	Pole Length (m)	Sold As
RX79920	Standard Centre Rigger Kit	2-Piece	3K Carbon	3	Single
RX67000	Outrigger Base Centre / Shotgun Standard 3 Position - S.S				Single

Bases are constructed from 316G marine-grade stainless steel and mirror polished

Complete Standard Centre Kits Includes:

- Reelax Centre Shotgun Rigger Base
- Outrigger Pole (inc eye bolts)
- Alloy spear tip
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.



Base Only - RX67000



3K Carbon



Alloy Spear Tips





COMPLETE OUTRIGGERS KITS, BASES AND SPARES

Deluxe Centre Shotgun Rigger Outrigger Kits

The Reelax Deluxe Centre Rigger is adjustable to 8 different positions from vertical to horizontal (11.25 degree increments). The unit folds up and down to allow pole to lay flat or stand up. Ideal for running a fifth line in the centre of the boat out past the riggers. Mainly used for light to medium trolling.


Matched with a Reelax Grander Series 3K Carbon Fibre 3.0m Outrigger Pole, a Stainless Steel Rigging Kit and Silver Alloy Spear Tips you will have a formidable combination to head out on the water on your next adventure!

Part No.	Type	Pole Type	Pole	Pole Length	Sold As
RX79970	Deluxe Centre Shotgun Rigger with 3m Outrigger Pole & Rigging Complete Kit	2-Piece	3K Carbon	3m	Single
RX67001	Outrigger Base Centre / Shotgun Standard 8 Position - S.S				Single

Bases are constructed from Polished 316G stainless steel.

Complete Deluxe Centre Kits Includes:

- Reelax Deluxe Centre Shotgun Rigger Base
- Reelax 3.0m Grander Series 3K Carbon Fibre Outrigger Pole
- Silver Alloy Spear Tip
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.



OUTRIGGER POLES



Fibreglass Outrigger Poles - 40mm Diameter

Reelax 2-Piece 40mm Fibreglass Outrigger Poles are a quality outrigger pole suitable for tackle up to 24kg, these quality Reelax Outrigger poles pair perfectly with bases that have a tube diameter of 41mm I.D (inside diameter).

Available in various lengths between 3.0 meters and 6.1 meters.

Sold as Singles, Pairs, and Pairs with Stainless Steel Rigging Kits + Spear

Part No.	Description	Pole Type	Length (m)	Rigging inc	Spears inc	Sold As
RX75000	40mm Fibreglass Outrigger Pair	Fibreglass	3	No	No	Pair
RX75010	40mm Fibreglass Outrigger Each	Fibreglass	3	No	No	Single
RX75020	40mm Fibreglass Outrigger Kit	Fibreglass	3	Yes	Yes	Pair
RX75200	40mm Fibreglass Outrigger Pair	Fibreglass	4.5	No	No	Pair
RX75210	40mm Fibreglass Outrigger Each	Fibreglass	4.5	No	No	Single
RX75220	40mm Fibreglass Outrigger Kit	Fibreglass	4.5	Yes	Yes	Pair



Outrigger Pole Kits Include:

- Pair of Alloy Spear Tips
- Pair of Outrigger Poles (inc. eye bolts)
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.

Grander Series 12K Carbon Outrigger Poles - 38mm Diameter

After extensive research we are proud to bring you the latest in carbon fibre outrigger poles to the range – the all-new Reelax Grander Series 38mm (1-1/2 inch) Outrigger Poles. Each model in this series has undertaken rigorous testing to ensure durability and longevity.

Providing extra strength and stiffness, they have an impeccable finish with a 12K carbon fibre twill with gloss exterior that looks amazing. They have exceeded our expectations and are sure to be the market leading and most sort after outrigger pole on the market today.

Part No.	Description	Pole Type	Length (m)	Rigging inc	Spears inc	Sold As
RX75840	38mm Carbon Outrigger Pair	12K Carbon	5.5	No	No	Pair
RX75845	38mm Carbon Outrigger Single	12K Carbon	5.5	No	No	Single
RX75850	38mm Carbon Outrigger Kit	12K Carbon	5.5	Yes	Yes	Pair
RX75860	38mm Carbon Outrigger Pair	12K Carbon	6.1	No	No	Pair
RX77865	38mm Carbon Outrigger Single	12K Carbon	6.1	No	No	Single
RX77870	38mm Carbon Outrigger Kit	12K Carbon	6.1	Yes	Yes	Pair

Outrigger Pole Kits Include:

- Pair of Alloy Spear Tips
- Pair of Outrigger Poles (inc. eye bolts)
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.




Grander Series 3K Carbon Telescopic Outrigger Poles - 38mm Diameter

Part No.	Description	Pole Type	Length (m)	Rigging inc	Spears inc	Sold As
RX77260	38mm Telescopic Carbon Outrigger Pair	3K Carbon	4.5	No	Yes	Pair
RX77265	38mm Telescopic Carbon Outrigger Single	3K Carbon	4.5	No	Yes	Single
RX77270	38mm Telescopic Carbon Outrigger Kit	3K Carbon	4.5	Yes	Yes	Pair
RX77360	38mm Telescopic Carbon Outrigger Pair	3K Carbon	5.5	No	Yes	Pair
RX77365	38mm Telescopic Carbon Outrigger Single	3K Carbon	5.5	No	Yes	Single
RX77370	38mm Telescopic Carbon Outrigger Kit	3K Carbon	5.5	Yes	Yes	Pair

Outrigger Pole Kits Include:

- Pair of Alloy Spear Tips
- Pair of Outrigger Poles (inc. eye bolts)
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.





OUTRIGGER POLES

Grander Series 3K Carbon Outrigger Poles - 40mm Diameter

After extensive research we are proud to bring you the latest in carbon fibre outrigger poles to the range – the all-new Reelax Grander Series. Each model in this series has undertaken rigorous testing to ensure durability and longevity. This new model provides extra strength and stiffness compared to the older style carbon fibre and the conventional fibreglass outrigger poles. They have an impeccable finish with a 3K carbon fibre twill with gloss exterior that looks amazing. They have exceeded our expectations and are sure to be the market leading and most sort after outrigger pole on the market today.



Part No.	Description	Pole Type	Length (m)	Rigging inc	Spears inc	Sold As
RX75080	40mm Carbon Outrigger Pair	3K Carbon	3	No	No	Pair
RX75085	40mm Carbon Outrigger Each	3K Carbon	3	No	No	Single
RX75090	40mm Carbon Outrigger Kit	3K Carbon	3	Yes	Yes	Pair
RX75280	40mm Carbon Outrigger Pair	3K Carbon	4.5	No	No	Pair
RX75285	40mm Carbon Outrigger Each	3K Carbon	4.5	No	No	Single
RX75290	40mm Carbon Outrigger Kit	3K Carbon	4.5	Yes	Yes	Pair
RX75380	40mm Carbon Outrigger Pair	3K Carbon	5.5	No	No	Pair
RX75385	40mm Carbon Outrigger Each	3K Carbon	5.5	No	No	Single
RX75390	40mm Carbon Outrigger Kit	3K Carbon	5.5	Yes	Yes	Pair
RX75480	40mm Carbon Outrigger Pair	3K Carbon	6.1	No	No	Pair
RX75485	40mm Carbon Outrigger Each	3K Carbon	6.1	No	No	Single
RX75490	40mm Carbon Outrigger Kit	3K Carbon	6.1	Yes	Yes	Pair

Outrigger Pole Kits Include:

- Pair of Alloy Spear Tips
- Pair of Outrigger Poles (inc. eye bolts)
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.

Grander Series 3K Carbon Telescopic Outrigger Poles - 40mm Diameter


Part No.	Description	Pole Type	Length (m)	Rigging inc	Spears inc	Sold As
RX77280	40mm Telescopic Carbon Outrigger Pair	3K Carbon	5.5	No	Yes	Pair
RX77285	40mm Telescopic Carbon Outrigger Single	3K Carbon	5.5	No	Yes	Single
RX77290	40mm Telescopic Carbon Outrigger Kit	3K Carbon	5.5	Yes	Yes	Pair
RX77380	40mm Telescopic Carbon Outrigger Pair	3K Carbon	6.1	No	Yes	Pair
RX77385	40mm Telescopic Carbon Outrigger Single	3K Carbon	6.1	No	Yes	Single
RX77390	40mm Telescopic Carbon Outrigger Kit	3K Carbon	6.1	Yes	Yes	Pair

Outrigger Pole Kits Include:

- Pair of Alloy Spear Tips
- Pair of Outrigger Poles (inc. eye bolts)
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.

Each model in this series has undertaken rigorous testing to ensure durability and longevity. Providing extra strength and stiffness, they have an impeccable finish with a 3K carbon fibre twill with gloss exterior that looks amazing. They feature stainless steel componentry for guides; the clamps that hold each section when extended are very easy to use and can be tightened using an allen key to your desired pressure, with bushing in between each section to aid easy sliding without scratching. They also come with a silver spear tip as standard so there is no need to purchase those. Easily retractable allowing for convenient storage when towing or dry storage.

RX77290 & RX77390



Centre Rigger/Shotgun Outrigger Poles - 40mm Diameter


Reelax Outrigger Pole 2-Piece (Single) available in Black Fibreglass or 3K Grander Series Carbon Fibre. Suit tackle up to 24kg. These quality Reelax Outrigger poles suit centre rigger/shotgun bases with a tube diameter of 40.8mm I.D (inside diameter).

Kit Comes with a Stainless Steel Rigging Kit and Spear tip.

Part No.	Description	Pole Type	Length (m)	Rigging inc	Spears inc	Sold As
RX67015	40mm Black Centre Rigger Pole	Fibreglass	3	Yes	Yes	Single
RX67035	40mm Grander Centre Rigger Pole	3K Carbon	3	Yes	Yes	Single

Outrigger Pole Kits Include:

- Pair of Alloy Spear Tips
- Pair of Outrigger Poles (inc. eye bolts)
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.



OUTRIGGER POLES



Fibreglass Outrigger Poles - 46-47mm Diameter

The Reelax 2-piece fibreglass outrigger poles are suitable for tackle up to 24kg. The quality outrigger poles suit bases with a tube that has an internal diameter of 47mm.

These outrigger poles are available in Black as either Singles or Pairs. In addition, you can get a Rigging Kit + Spears with your Pair as well.



Part No.	Description	Pole Type	Length (m)	Rigging inc	Spears inc	Sold As
RX75500	46-47mm Fibreglass Outrigger Pair	Fibreglass	6.5	No	No	Pair
RX75510	46-47mm Fibreglass Outrigger Each	Fibreglass	6.5	No	No	Single
RX75520	46-47mm Fibreglass Outrigger Kit	Fibreglass	6.5	Yes	Yes	Pair

Outrigger Pole Kits Include:

- Pair of Alloy Spear Tips
- Pair of Outrigger Poles (inc. eye bolts)
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.



Grander Series Carbon Outrigger Poles - 46-47mm Diameter

After extensive research we are proud to bring you the latest in carbon fibre outrigger poles to the range – the all-new Reelax Grander Series. These are the largest of our outrigger pole range, paired perfectly with the big riggers will provide the ultimate in bluewater fishing pleasure! Each model in this series has undertaken rigorous testing to ensure durability and longevity. This new model provides extra strength and stiffness compared to the older style carbon fibre and the conventional fibreglass outrigger poles. They have an impeccable finish with 3K or 12K carbon fibre twill with gloss exterior that looks amazing. They have exceeded our expectations and are sure to be the market leading and most sort after outrigger pole on the market today.


Part No.	Description	Pole Type	Length (m)	Rigging inc	Spears inc	Sold As
RX75580	46-47mm Carbon Outrigger Pair	3K Carbon	6.5	No	No	Pair
RX75585	46-47mm Carbon Outrigger Each	3K Carbon	6.5	No	No	Single
RX75590	46-47mm Carbon Outrigger Kit	3K Carbon	6.5	Yes	Yes	Pair
RX75680	46-47mm Carbon Outrigger Pair	12K Carbon	7.75	No	No	Pair
RX75685	46-47mm Carbon Outrigger Each	12K Carbon	7.75	No	No	Single
RX75690	46-47mm Carbon Outrigger Kit	12K Carbon	7.75	Yes	Yes	Pair

Outrigger Pole Kits Include:

- Pair of Alloy Spear Tips
- Pair of Outrigger Poles (inc. eye bolts)
- Rigging kit includes: dyneema lines, crimps, pulleys, snubber, release clips.



Alloy Spear Tips



3K Carbon




12K Carbon

Outrigger Pole Alloy Spear Tips

Part No.	Description	Material	Sold As
RX76100	Outrigger Spear Tips Silver	Alloy	Pair
RX76150	Outrigger Spear Tips Black	Alloy	Pair

Outrigger spear tips complete the outrigger poles and avoid rigging from tangling the tip of the outrigger pole. Designed for a more conventional use having a hole drilled into the shaft 100mm from the tip where the top eyebolt of our Reelax Outriggers locates the hole and locks the spear into place. 200mm long and cast with an 12mm OD shaft and a 16mm OD spear tip.





Rigging Kit To Suit All Reelax Outrigger Poles to 6.5m with Black Marine Clips

Part No.	Description	Material	Sold As
RX77050	Rigging Kit to suit all reelax outrigger poles to 6.5m with Black Marine clips	S.S	Kit

Kit Includes:

- 1 x 2mm Dyneema Braid – 30m Hank Line
- 2 x Snubber Lines
- 2 x Blacks Marine Outrigger Release Clips
- 4 x Snap Swivels
- 4 x Shackle & Pully Blocks
- 4 x Saddles/Eye Straps
- 8 x 6G Self Tapper Screws
- 10 x Aluminium Crimpss
- 1 x Rigging Kit Instructions
- 1 x Reelax Rigging Bag



Rigging Kit to Suit All Reelax Outrigger Poles to 6.5m with Bluewing Clips

Part No.	Description	Material	Sold As
RX77000	Rigging Kit to suit all reelax outrigger poles to 6.5m with bluewing clips	S.S	Kit

This Rigging Kit is suited for Reelax Outrigger Poles from 3m to 6.5m.

Kit Includes:

- 1 x 2mm Dyneema Braid – 30m Hank Line
- 2 x Snubber Lines
- 2 x Zirconia Outrigger Release Clips
- 4 x Snap Swivels
- 4 x Shackle & Pully Blocks
- 4 x Saddles/Eye Straps
- 8 x 6G Self Tapper Screws
- 10 x Aluminium Crimps
- 1 x Rigging Kit Instructions
- 1 x Reelax Rigging Bag



Rigging Kit to Suit 7.75m Reelax Outrigger Poles with Bluewing Clips

Part No.	Description	Material	Sold As
RX72500	Rigging Kit to suit 7.75m reelax outrigger poles with bluewing clips	S.S	Kit

Kit Includes:

- 2 x 2mm Dyneema Braid – 30m Hank Lines
- 2 x Snubber Line
- 2 x Bluewing Zirconia Outrigger Release Clips
- 4 x Stainless Steel Snap Swivels
- 4 x Shackle & Pully Block
- 4 x Saddle/Eye Strap
- 8 x 6G Self Tapper Screw
- 10 x Alloy Crimps



Rigging Kit Standard Replacement Kit

Part No.	Description	Material	Sold As
RX72005	Rigging Kit Standard Replacement Kit	S.S	Kit

This Rigging Kit is suited for Reelax Outrigger Poles from 3m to 6.1m.

Kit Includes:

- 1 x 2mm Dyneema Braid – 30m Hank Line
- 2 x Snubber Line
- 2 x Pully Blocks
- 2 x 4mm "Bow Shackle"
- 2 x Zirconia Outrigger Release Clips
- 4 x Snap Swivels
- 10 x Alloy Crimps



Rigging Kit to Suit Single Centre Rigger Pole

Part No.	Description	Material	Sold As
RX67004	Rigging Kit to suit single centre rigger pole	S.S	Kit

Kit Includes:

- 1 x 2mm Dyneema Braid – 30m Hank Line
- 1 x Snubber Line
- 1 x Tag Weight
- 2 x Snap Swivels
- 3 x Outrigger Stop Balls
- 2 x Shackle and Pulley Block
- 1 x Saddle/Eye Strap
- 10 x Alloy Crimps
- 2 x 6G Self Tapper Screws



Rigging Kit Complete with Tagline Return

Part No.	Description	Sold As
RX73400	Rigging kit complete with Tagline return	Kit

This Rigging Kit is suited for Reelax Outrigger Poles from 3m to 6.1m.

Kit Includes:

- 2 x 2mm Dyneema Braid – 30m Hank Line
- 2 x Snubber Lines
- 2 x Shackles & Pulley Blocks
- 2 x Stainless Steel Tagline Weights
- 2 x Zirconia Outrigger Release Clips
- 8 x Snap Swivels
- 2 x Outrigger Stop Balls
- 10 x Aluminium Crimps



Tagline Return Kit – 6 Ball Stop

Part No.	Description	Sold As
RX73000	Tagline return kit – 6 ball stop	Kit

The Reelax Tagline Kit is designed to reduce slack line on riggers so you can catch more fish!

- Improve your hook up rate by eliminating drop back (slack line).

Kit Includes:

- 1 x 2mm Dyneema Braid – 30m Hank Line
- 2 x Stainless Steel Tagline Weights
- 6 x Outrigger Stop Balls
- 4 x Snap Swivels
- 10 x Aluminium Crimps



Tagline Return Kit – 2 Ball Stop

Part No.	Description	Sold As
RX73050	Tagline return kit – 2 ball stop	Kit

Kit Includes:

- 1 x 2mm Dyneema Braid – 30m Hank Line
- 2 x Stainless Steel Tagline Weights
- 2 x Outrigger Stop Balls
- 4 x Snap Swivels
- 4 x Aluminium Crimps





OUTRIGGER ACCESSORIES

Outrigger Rigging Kit Spare Eye Bolt Kit

Part No.	Description	Sold As
RX70006	Rigging Kit Spare Eye Bolt Kit	Kit

Reelax Outrigger Rigging Kit Spare Eye Bolt Kit.

Kit includes:

- 6x Eye Bolt & Nuts
- 2x Pulleys
- 2x Shackles



Outrigger Rigging Kit Spare Snubber / Shock Cord

Part No.	Description	Weight	Sold As
RX70002	Rigging Kit Spare Snubber	0.7kg	Each

Outrigger halyard line tensioner (snubber) with stainless steel clip & single roller. For setting up outriggers to maintain tension.



Outrigger Rigging Kit Spare Stainless Steel Tagline Weight 150g

Part No.	Description	Material	Weight	Sold As
RX70003	Rigging Kit Tag Weight 150gm	S.S	150g	Pair

Essential for effective tagline setup. 316 stainless steel weight for marine environment durability & rubber bumpers to prevent damage to your boat and gear.



Outrigger Ball Stops - Black Pair

Part No.	Description	Weight	Sold As
RX70050	Bluewing Outrigger Ball Stops 2pcs Fishing Rigging Ball Plastic - Black	0.010kg	Pair

- Premium Quality: Made with high-quality materials.
- Easy to Use: The outrigger ball stops are simple to install and can be used on any outrigger pole size, they are made to withstand the toughest offshore conditions and will last for many fishing trips to come.
- Application: Keeps your clips from being damaged by being pulled into the outrigger tip. These created a barrier to keep your connections secure and clips undamaged.



Reelax Outrigger Spare Aluminium Crimps

Part No.	Description	Material	Weight	Sold As
RX70008	Rigging Kit Spare Crimps	Aluminium	0.5 kg	20 PK

Reelax Outrigger Spare Aluminium Crimps (Pack of 20), designed to suit Reelax 2mm Mono Outrigger Line and UHWMPE Braid Rope.



OUTRIGGER ACCESSORIES



Outrigger Rigging Kit Spare UHMWPE Braid 2mm / 30m Roll

Part No.	Description	Length	Weight	Sold As
RX70035	Rigging Kit Spare 2mm UHMWPE Braid Roll	30m	0.50 kg	Single

Reelax Outrigger Rigging Kit Spare UHMWPE 2mm Braid.

- Comes as 30m Roll
- 200kg breaking strain.
- Minimal stretch.
- Ideal for all tackle classes up to 80kg



Bluewing Stainless Steel Snap Swivels

Part No.	Description	Material	Weight	Sold As
RX70007	Bluewing Snap Swivel Size 5 + 6	S.S	0.5 kg	4 PK

- **Durable Material:** Stainless-steel material provides the snap swivel with great strength to withstand pressure and powerful forces. fishing snap swivels with excellent corrosion resistance, abrasion resistance, shock resistance and tension.
- **Flexible Rotation:** fishing swivels with snaps with high speed rotation is smooth and flexible, giving the fishing line a more natural and realistic appearance.
- **Excellent Construction:** A durable and easily manageable design allows for easy and convenient changes of terminal tackle, fishing swivels with snaps save anglers time and energy.
- **Wide Applications:** The fishing snap swivels are applicable for various kinds of fishing, like saltwater fishing, freshwater fishing, onshore fishing and offshore fishing.
- **Multiple Choice:** With a variety of options you can choose the right swivel snap for you.



Blacks Original Release Clips

Part No.	Description	Weight	Sold As
RX70001	Snap Swivels Size 5+6	0.100 kg	Single

The Blacks Original Release Clips are perfect for keeping your outrigger line and fishing line from fouling, giving you a clean release, have a release arm, have tension adjustment and have the versatility to be used with the outrigger and kite.



Outrigger and Flatline Release Clips

Part No.	Description	KG Rating	Sold As
980241	Bluewing Zirconia Outrigger Release Clips Black	27	Pair
980244	Bluewing Zirconia Outrigger and Flat Line Release Clips Black	18	Pair

- Braided line friendly with zirconia ceramic clips and reinforced POM housing, featuring UV resistance.
- Built with an integrated silicon nitride ceramic release bead, offering superior hardness, strength, and corrosion resistance.
- Easily adjustable release tensions with a screw on the side of the clip.
- Sold in pairs.



980244



980241








Aftco Roller Troller Flat Line Release Clip

Part No.	Description	Weight	Sold As
RX70015	Aftco Roller-Troller Flat Line Clip	0.45kg	Single

AFTCO Flat Line Clips put lines trolled from the stern of the boat into the water at a lower angle to minimize tangling and keep your lures below the surface for better action and when a fish strikes, you'll know at the instant the clip snaps open to release the line. The Flat Line Clip is fitted with a 135-lb. coated stainless steel cable and a heavy duty snap swivel.

- Stainless steel roller
- AFLON™ treated bearing
- Micro-tension adjustment
- Sold as an individual unit






Aftco Roller Troller Outrigger Release Clip

Part No.	Description	Weight	Sold As
RX70014	Aftco Roller-Troller Outrigger Clip	0.45kg	Pair

The AFTCO Roller-Troller Outrigger Clip helps you position a trolling lure from an outrigger by simply reeling in or letting out line right through the clip, where the line rides safely on a roller that features silky-smooth action. The clip's micro-tension adjustment is positive yet sensitive over a wide range of settings, and once the tension is set, our precision-engineered latching system releases your line repeatedly at the same exact pull to assure fewer missed strikes and less broken line and gear.

- Stainless steel roller
- AFLON™ treated bearing
- Micro-tension adjustment
- Sold as a pair



OUTRIGGER ACCESSORIES



Self-Serviceable Line Lock Pro Stainless with Rope

Part No.	Description	Model	Rope Length	Rope Dia.	Sold As
980237	Bluewing Self-Serviceable Line Lock Pro Stainless with Rope	Single	2.1 m	8 mm	Each
980238	Bluewing Self-Serviceable Line Lock Pro Stainless with Rope	Double	2.1 m	8 mm	Each
980239	Bluewing Self-Serviceable Line Lock Pro Stainless with Rope	Triple	2.1 m	8 mm	Each

- Heavy-duty double braided rope.
- Abrasion-resistant build.
- Stable load support.
- Stronger corrosion resistance.
- Lower maintenance needs.



980237



980238



980239



Outrigger Line Locks - Anodised Alloy

Part No.	Description	Model	Width (Line Lock)	Length (Line Lock)	Whole Length	Sold As
980227	Bluewing Outrigger Line Locks Single Black	Single	14 mm	58 mm	355 mm	Each
980228	Bluewing Outrigger Line Lock Double Black	Double	30 mm	58 mm	355 mm	Each
980229	Bluewing Outrigger Line Lock Triple Black	Triple	43 mm	58 mm	370 mm	Each
980230	Bluewing Outrigger Line Lock Quad Black	Quad	58 mm	58 mm	370 mm	Each

- Aluminium anodised body, nylon rope (snubber line), and a stainless-steel locking lever for longevity and durability.



980228



980229



Outrigger Halyard Lock Pulley

Part No.	Description	Model	Line Length	Snap Swivel Length	Snap Swivel Strength	Sold As
980210	Bluewing Outrigger Halyard Lock Pulley Black	Single	250 mm	94 mm	150 kg	Each
980211	Bluewing Outrigger Halyard Lock Pulley Black	Double	250 mm	94 mm	150 kg	Each
980212	Bluewing Outrigger Halyard Lock Pulley Black	Triple	250 mm	94 mm	150 kg	Each



- Premium Material: Manufactured with premium nylon, it ensures high strength, durability, and resistance to corrosion, promising long-lasting performance in marine environments.
- Versatile Use: This outrigger halyard lock pulley is the perfect accessory for securing outriggers lines and optimizing your boating experience.
- Snap Swivel: Comes with a robust stainless steel snap swivel ensuring secure and stable connections, enhancing reliability and safety during use.
- Efficient Design: The sleek and compact design allows for easy installation and operation, making the pulley a user-friendly option for both novice and experienced sailors.

980210



980211



980212





Quick Release Spare Pin SS Junior 600 Black Edition

Part No.	Description	Material	Sold As
RX60250	Quick Release Spare Pin Junior 600 Black Edition	S.S	Single

Reelax Reef Rigger Junior Black Edition Outrigger Base Stainless Steel Spare Pin.



Reef Rigger 550 Outrigger Base & Standard Center Rigger Stainless Steel Spare Pin

Part No.	Description	Material	Sold As
RX60200	Quick Release Spare Pin Reef 550 Standard Centre Rigger	S.S	Single

Reelax Reef Rigger 550 Outrigger Base and Standard Center Rigger Stainless Steel Spare Pin.



T-Top / Maxi / Multi / Deluxe Centre Rigger Stainless Steel Spare Pin

Part No.	Description	Material	Sold As
RX60300	Outrigger Base T-Top/Deluxe Centre Rigger Multi & Maxi Mount Spare Pin	S.S	Each

Reelax T-Top / Maxi / Multi / Deluxe Centre Rigger Stainless Steel Spare Pin 6.B (each).



316 Stainless Steel Outrigger Hold-Up Bracket

Part No.	Description	Material	Sold As
RX62980	316 Stainless Steel Outrigger Hold-Up Bracket - Mirror Polished Stainless Steel	S.S	Each
RX62985	316 Stainless Steel Outrigger Hold-Up Bracket - Black Powder Coated Stainless Steel	S.S	Each

Designed for securely supporting outrigger bases and outrigger poles, this heavy-duty hold-up bracket provides a strong, corrosion-resistant mounting solution for marine applications. Manufactured 316-grade stainless steel, it offers exceptional durability and resistance to harsh saltwater environments.

The integrated clamp is fitted with an EPDM protective gasket to prevent direct metal-to-metal contact, helping protect both stainless steel and carbon fibre poles from scratching, and wear.

Available as either a mirror polished stainless steel or a black powder coated stainless steel.



Outrigger Base Feet Packer / Spacer – Small or Large

Part No.	Description	Sold As
RX60600-SET	Outrigger Base Packers 10mm White suits Mini & Maxi 6.F Set of 6	Set
RX60602-SET	Outrigger Base Packers 10mm Black suits Mini & Maxi 6.F Set of 6	Set
RX60500-SET	Outrigger Base Packers 10mm White suits Reef & JNR 6.E Set of 6	Set
RX60502-SET	Outrigger Base Packers 10mm Black suits Reef & JNR 6.E Set of 6	Set

The Reelax Base Feet Packers are recommended for use on alloy boats to isolate the two dissimilar metals. They are also handy for installation to ensure fitment of the outrigger bases are on point. Where you need to space out further simply use multiple base packers.


Small base packers are 10mm thick and are 65mm L x 35mm W. They have hole centres of 50mm. These are designed to suit the following outrigger bases: Reef 550, Reef 550 Black Edition, Junior 600, Junior 600 Black Edition, and Standard Centre Rigger*.

Large base packers are 10mm thick and are 83mm L x 50mm W. They have hole centres of 65mm. These are designed to suit the following outrigger bases: Mini 1000, Midi 1250, Maxi 2000, Super Maxi 3000.*


* Please note: If fitting to older rigger bases, be sure to check measurements of feet prior to ordering.



Small



Large




Adjustable Dredge Boom Stainless Steel with Rod Holder

Part No.	Description	Material	Weight	Boom Arm Measures	Sold As
RX78000	Adjustable Dredge Boom - Rod Holder Mount	S.S	8kg	150cm	Each

Our new Dredge Boom offers more than just towing Dredges or Daisy Chains Teasers, constructed of the finest 316 mirror polished stainless steel with a max reach length of 1.2 meters this is a must have for the serious game fisherman.

We have added a multi angled boom lift using our world class T-Topper style mechanism, to a multi gimbal base rod assembly to slot into your existing rod holders this ensures you achieve an optimal angle for towing your dredge in any conditions. You are also able to run surface teasers in clear water, or even use it as a mini outrigger!! Equipped with a rod holder, you won't be losing any fishing rod trolling spots.

- We are proud that this is Australian made and Australian built quality.
- Comes with safety lanyard dyneema and 2 pulleys.
- Rod Holder Size Required: Min 40mm – ideally matched to a Reelax Heavy Duty Straight Rod Holder (RX52002 – not included).



Multi Mount Rod Rigger Adjustable - Stainless Steel

The Reelax Multi Mount Rod Rigger are used to spread baits or lures out of the propeller wash by extending the length of the rod, thus allowing these to be more easily seen, ultimately maximising your catch rate. These have been used for years and are ideal for those chasing pelagic species such as Mackerel and Wahoo, without the hassle of fitting a complete outrigger setup.

These suit both angled and straight rod holders, and fit all common rod holders up to a 38mm internal diameter. They feature a 6-pin adjustment from vertical to flat in 15 degree locking intervals using a handy quick release pin. They suit fishing rods up to a maximum diameter of 47mm, have a 260mm depth to pin, and feature a flared end with rubber insert to protect your rods when putting in and out of the rigger.

Part No.	Description	Material	Sold As
RX68000	Multi Mount Rod Rigger Adjustable Pair	Polished S.S	Pair
RX68050	Multi Mount Rod Rigger Adjustable Each	Polished S.S	Each

- Constructed from 316 Marine Grade Stainless Steel and Mirror Polished.
- Rigorously tested to ensure durability and longevity.





Carbon Fibre 2-Piece Tag Pole with 3 Interchangeable Tag Applicators

Part No.	Description	Material	Weight	Length	Sold As
RX70503	3m 2-Piece Tagpole	Carbon Fibre	3kg	3m	Each
RX70504	4m 2-Piece Tagpole	Carbon Fibre	3kg	4m	Each

The Reelax Carbon Fibre 2-Piece Tag Poles are made from high-quality lightweight and durable carbon fibre. Featuring three wrapped and bound grips to ensure a high grip surface in wet and slimy conditions. They are supplied with three interchangeable tag applicators for billfish, tuna and sharks stored in a convenient bottom storage cap. Simply unscrew the bottom cap, select required titanium alloy applicators (much stronger than the equivalent stainless steel) and then fit to the tag head by unscrewing the top nut and placing the tag in place, then simply re-screw the top nut back down to secure the applicator in place. The tag pole can also double as a GoPro pole with the addition of the GoPro adaptor (optional – Part #: RX70507). These are available in 3m (10') or 4m (13'2") lengths.



Telescopic Aluminium Tag Pole with 3 Interchangeable Tag Applicators

Part No.	Description	Material	Extended Length	Retracted Length	Weight	Sold As
RX70500	6ft Telescopic Aluminium Tagpole	Aluminium	6ft (1.83m)	1.15m	5kg	Each
RX70501	9ft Telescopic Aluminium Tagpole	Aluminium	6ft (2.75m)	1.6m	5kg	Each

The Reelax Aluminium Telescopic Tag Poles are made from high-quality lightweight and durable aluminium. Supplied with three interchangeable tag applicators for billfish, tuna and sharks stored in a convenient bottom storage cap. Simply unscrew the bottom cap, select required applicator and then fit to the tag head by unscrewing the top nut and placing the tag in place, then simply re-screw the top nut back down to secure the applicator in place. The tag pole can also double as a GoPro pole with the addition of the GoPro adaptor (optional – Part #: RX70507). These are available in either 6ft (1.83m) or 9ft (2.75m).



Tag Pole GoPro Camera Mount Adaptor

Part No.	Description	Weight	Sold As
RX70507	Go Pro Adaptor to suit all Tag Poles	0.08 kg	Each



Turn your Reelax Tag Pole into a GoPro Camera Boom with this handy little adaptor. Suits both the Reelax Telescopic Aluminium Tag Poles (RX70500-RX70501), and the Reelax 2-Piece Carbon Fibre Tag Poles (RX70503-RX70504). Simply unscrew the tag pole applicator holder and screw on this mount. Please note tag pole not included.



Harpoon

Part No.	Description	Total Length (m)	Rod Length Each (m)	Handle Length (cm)	Wire Length (cm)	Dart Length (cm)
980153	Bluewing Harpoon 8ft 2 Pieces	2.4	1.2	30	78	12
980155	Bluewing Harpoon 16ft 4 Pieces	4.8	1.2	30	78	12

- **Carbon Fibre Material:** Bluewing 8ft fishing harpoon is crafted from carbon fibre, ensuring a lightweight yet incredibly strong and durable pole.
- **Anti-Slip Grip:** Our harpoon features a 304mm / 12in anti-slip handle, providing you with the ultimate grip and comfort. The non-slip design ensures that the harpoon stays firmly in your hand, preventing any accidental slips or drops.
- **Extra-Sharp Head:** With a stainless-steel, razor-sharp harpoon head, the dart is built to puncture fish effortlessly. The corrosion-resistant material ensures long-lasting sharpness and durability, allowing you to focus solely on the catch.
- **High-Tensile Wire:** The harpoon dart head is connected to a 787mm / 31in stainless steel wire rope with a remarkable breaking strength of 200kg / 460lbs. This ensures a secure connection, providing you with peace of mind while chasing big game fish.
- **Enhanced Precision:** We've upgraded the product with a front-weighted 12oz lead bar at the head of the fishing harpoon, shifting the centre of gravity forward for improved accuracy and reduced effort when targeting and spearing fish.



Grander Series 3K Carbon Gaff with Stainless Steel Cast Head

Part No.	Description	Material	Weight	Sold As
RX99100	Gaff Grander Series Blue 3" Head / 4' Length	S.S	5kg	Each
RX99100-BULK	Gaff Grander Series Blue 3" Head / 4' Length - 6 Pack	S.S	5kg	6 Pack
RX99110	Gaff Grander Series Blue 4" Head / 4' Length	S.S	5kg	Each
RX99110-BULK	Gaff Grander Series Blue 4" Head / 4' Length - 6 Pack	S.S	5kg	6 Pack
RX99130	Gaff Grander Series Blue 4" Head / 6' Length	S.S	5kg	Each
RX99130-BULK	Gaff Grander Series Blue 4" Head / 6' Length - 6 Pack	S.S	5kg	6 Pack
RX99153	Gaff Grander Series 3" Head Protective Sleeve	Rubber	0.490 kg	Each
RX99153-BULK	Gaff Grander Series 3" Head Protective Sleeve - 10 Pack	Rubber	0.490 kg	10 Pack
RX99154	Gaff Grander Series 4" Head Protective Sleeve	Rubber	0.490 kg	Each
RX99154-BULK	Gaff Grander Series 4" Head Protective Sleeve - 10 Pack	Rubber	0.490 kg	10 Pack



We are excited to present the latest from Reelax, the all-new Reelax Grander Series 3K Carbon Gaff with Stainless Steel Cast Head. The 316 Mirror Polished Stainless Steel Cast head is double pinned and glued into the thick-walled and alluring Blue Fleck Finish of the 3K Carbon Fibre Pole. They are lighter weight than the conventional fibreglass poles previously used, yet still very strong and durable. You will be the envy of all your mates, with one of these in your boat to land that next trophy fish on your fishing adventures.

Available in 3 different Gaffs available: RX99100 – 3in (75mm) head on a 120cm (4ft) Carbon Gaff, RX99110 – 4in (100mm) head on a 120cm (4ft) and a RX99130 – 4in (100mm) head on a 180cm Carbon Gaff (6ft).





FISHING GEAR & ACCESSORIES

Stainless Steel Deep Drop / Meat Hook

Part No.	Description	Material	Weight	Sold As
RX99080	Meat Hook/Deep Drop 3 inch Head SS	S.S	1.00 kg	Each
RX99080-BULK	Meat Hook/Deep Drop 3 inch Head SS	S.S	1.00 kg	6 Pack
RX99090	Meat Hook/Deep Drop 4 inch Head SS	S.S	1.00 kg	Each
RX99090-BULK	Meat Hook/Deep Drop 4 inch Head SS	S.S	1.00 kg	Each
RX99153	Gaff Grander Series 3" Head Protective Sleeve	Rubber	0.490 kg	Each
RX99153-BULK	Gaff Grander Series 3" Head Protective Sleeve	Rubber	0.490 kg	10 Pack
RX99154	Gaff Grander Series 4" Head Protective Sleeve	Rubber	0.490 kg	Each
RX99154-BULK	Gaff Grander Series 4" Head Protective Sleeve	Rubber	0.490 kg	10 Pack



The impressive Reelax Stainless Steel Deep Drop / Meat Hook is ideal for hand gaffing those larger fish, and comes with a convenient dyneema rope for weighing any prized fish. Available with either a 3-inch or 4-inch hook head.




Heavy Duty Rod & Reel Safety Leash

Part No.	Description	Extended Length	Retracted Length	Sold As
985010	Bluewing Heavy Duty Rod & Reel Safety Leash	3 m (10 ft)	377 mm (14.84 in)	Each

- **Rod & Reel Leash:** Designed for offshore boat fishing, trolling, and saltwater fishing setups, this coiled fishing rod leash helps keep your rod and reel combo attached during onboard use.
- **Premium Materials:** Built with a protective PU coating and 316 stainless steel inner core, this fishing leash offers a flexible, wear-resistant design for saltwater fishing environments.
- **Heavy-Duty Build:** The 6 mm coiled body provides a strong and durable feel for rod and reel setups. Rated at 1200 lbs with 80% $\pm$ crimping performance, depending on final assembly.
- **Dual-End Attachment:** Equipped with snap hooks on both ends for quick connection between your reel, rod holder, rod lock, boat cleat, or other onboard attachment points.
- **10 ft Stretched Length:** The compact coiled design stays shorter when not stretched and extends up to 10 ft for flexible use around the boat.




**Rated at 1200 lbs
Huge!**



Hollow Needle Kit

Part No.	Description
980610	Bluewing Hollowcore Needle Kit

- **Versatile Needle Assortment:** This 23-piece kit includes Hollow Needles, Wire Looping Needles, and Latch Needles in multiple sizes. Available in 6-inch standard and 10-inch extra-long lengths, these needles are designed for precise splicing of lines ranging from 6lb to 1000lb test, making them ideal for everything from finesse rigging to planer bridle setups.
- **Stainless Steel Construction:** Made with medical-grade stainless steel for exceptional durability and corrosion resistance, ensuring reliable performance and long-lasting use in all rigging applications.
- **Hollow Needles:** For threading and splicing hollow-core braid, these needles allow monofilament or fluorocarbon leaders to be inserted seamlessly, creating a strong, knotless connection. Multiple diameters accommodate different line weights for custom wind-on leaders and top shots.
- **Wire Looping Needles:** Designed to make it easy to create loops and back splice hollow core line with precision. These are key tools for making wind-on leaders and other advanced rigging applications.
- **Latch Needles:** Retractable hook latch needles are another option for making loops, back splicing, or splicing hollowcore to hollowcore.



Fishing Planer

Part No.	Description
980708	Bluewing Fishing Planer 12" - 12oz Original 1pc

- **Efficient Fishing Planer:** This fishing planer expertly conveys your line beneath the water's surface, allowing your lure to reach deeper zones without the need for bulky weights.
- **Durable Construction:** Crafted from 316 stainless steel blade with robust brass connecting rings, this trolling planer is built to withstand harsh marine environments and resist corrosion, ensuring long-lasting performance in saltwater.
- **Easy Reset:** Designed for simplicity, this offshore trolling planer easily trips to reset and retrieve smoothly. The activation of the release mechanism on a fish strike ensures effortless management of the line during a catch.
- **Simple Setup:** Secure your mainline from your rod to the planer's large brass ring and link your leader directly to the blade's ring for a quick and effective setup that optimizes your trolling effectiveness.






Spreader Bars

Part No.	Description
980337	Bluewing 36in Spreader Bar Canyon 9in Squid Black/Purple - Straight
980338	Bluewing 36in Spreader Bar Canyon 9in Squid Pink - Straight
980339	Bluewing 36in Spreader Bar Canyon 9in Squid Yellow/Green - Straight
980373	Bluewing 36in Spreader Bar Canyon Port 9in Squid Black/Purple
980374	Bluewing 36in Spreader Bar Canyon Port 9in Squid Pink
980375	Bluewing 36in Spreader Bar Canyon Port 9in Squid Yellow/Green
980409	Bluewing 36in Spreader Bar Canyon Starboard 9in Squid Black/Purple
980410	Bluewing 36in Spreader Bar Canyon Starboard 9in Squid Pink
980411	Bluewing 36in Spreader Bar Canyon Starboard 9in Squid Yellow/Green



- 316 Stainless steel 3.2mm rod for corrosion resistance.
- Rigged squids have floats inside to increase buoyancy, along with flexible skirts and vivid and glowing eyes to increase lifelikeness and mimic a more natural appearance.
- Big Game Trolling Lure: Equipped with a big game trolling lure that has lifelike action and adds an additional attractant to the fishing spreader bar.



980337



980338



980339



Dredges

Part No.	Description	Qty of Teasers	Head Weight	Wire Rod Diameter
980302	Bluewing Dredge 2.5in Head, Dia 5mm 36in Rod and 9in Soft Squid Purple	96	665g	5mm
980303	Bluewing Dredge 2.5in Head, Dia 5mm 36in Rod and 9in Soft Squid Pink	96	665g	5mm
980304	Bluewing Dredge 3in Head, Dia 6mm 36in Rod and 9in Soft Squid Purple	96	1185g	6mm
980305	Bluewing Dredge 3in Head, Dia 6mm 36in Rod and 9in Soft Squid Pink	96	1185g	6mm
980306	Bluewing 36in Collapsible Dredges with 6in Soft Squids - Black	96	1185g	6mm
980307	Bluewing 36in Collapsible Dredges with 6in Soft Squids- Blue	96	1185g	6mm
980300	Bluewing Dredge 2.5in Head, Dia 5mm 20in Rod and 6in Stainless Baitfish	48	665g	5mm
980299	Bluewing Replacement 2.5in Dredge Head – 36in Collapsible	-	-	5mm

- Stainless steel wire rods ensure a sturdy connection for a long-lasting performance.
- 1.6mm monoline which can carry up to 136kg.
- Comprehensive instruction manual included.



980302





980303



980306



980300





Rod Rack

Part No.	Description	Length	Width	Height
980141	Bluewing Fishing Rod Storage Rack Black	1150	580	250



SCAN FOR
MANUAL

- Versatile Rod Compatibility: Designed to cater to both straight and bent butt fishing rods and reel combos, our pole rack is a one-stop storage solution for various types of fishing gear.
- Adjustable for Convenience: Easily tailor the rack to fit bent butt rods by adjusting the steel wire positions, ensuring a perfect fit and secure storage for every rod type.
- Simple Assembly with Guide: Assembling your new fishing rod rack is a breeze with our included instruction manual, guiding you through a hassle-free setup process.
- Holds 23 standard fishing rods and/or 22 bent butt rods.
- Manufactured from black polymer.



Adjustable Bent Rod Butts

Part No.	Description
980000	Bluewing Adjustable Bent Rod Butt #2 Short Black
980002	Bluewing Adjustable Bent Rod Butt #4 Short Black
980005	Bluewing Adjustable Bent Rod Butt #2 Short Silver
980007	Bluewing Adjustable Bent Rod Butt #4 Short Silver

Size Guide		
Part Section	#2 Short Measurements	#4 Short Measurements
Length	616.97mm	616.97mm
Inner Dia	22.2mm	25.4mm
Outer Dia	24.6mm	28.8 mm
Weight	1.35kg	1.55kg

Features:

- ✓ Constructed with aluminium alloy for high strength, lightweight properties and corrosion resistance.
- ✓ Adjustments at 0°, 30° and 60°.
- ✓ Locking knob for easy operation.
- ✓ Hollow design for reducing the weight.
- ✓ Anodised finish.

#2 Short:

- Rod butt in-house test to failure results for the #2 rod butt show a minimum of 55kg. The recommended maximum drag is 22.5kg.

#4 Short:

- Rod butt in-house test to failure results for the #4 rod butt show a minimum of 68kg. The recommended maximum drag is 22.5kg.



980002



980007




SCAN FOR
MANUAL

Spare Ferrule with Nut


Part No.	Description	Pack Qty
980025	Bluewing Spare Ferrule with Nut Black	1
980026	Bluewing Spare Ferrule with Nut Silver	1

- **Replacement Ferrule Set:** Includes one spare ferrule and one matching lock nut, designed as a replacement or backup part for adjustable rod butt systems.
- **Universal Fit:** Designed for Bluewing Adjustable Rod Butts and other standard rod butt setups, making it a practical replacement option for different builds.
- **6061 Aluminum Alloy:** Made from 6061 aluminum alloy for lightweight strength, with an anodized finish for improved surface hardness and wear resistance.
- **Easy Installation:** Designed for simple replacement, helping create a secure and stable connection with the rod butt handle.
- **Size & Color Options:** Available in #2 and #4 sizes with black and silver colour options, allowing you to match your current rod butt setup.

Size Guide (mm)				
A	B	C	Inner Dia.	Outer Dia.
54.60	6.2	3.5	22.2	24.6



Heavy Duty Roller Sets



Part No.	Description
980055	Bluewing Heavy Duty Roller Set Silver
980056	Bluewing Heavy Duty Roller Set Black

- **Dual-footed support structure** to provide enhanced stability and reinforcement.
- **Crafted from corrosion resisting aluminium alloy**, ensuring long lasting performance despite saltwater exposure.
- **360-degree roller design** to minimise friction for line releasing and retrieval.
- **An enlarged guide hole accommodates for thicker lines**, and improves line releasing and retrieval.
- **Rod not included.**

Size Guide (mm)					
	#1	#2	#3	#4	#5
Length (mm)	142	120	108	83	70
Height (mm)	64	46	40	31	28

Roller Tip-Tops

Part No.	Description
980060	Bluewing Roller Tip-Top Black ID. 18/64in (7.3mm)
980061	Bluewing Roller Tip-Top Black ID. 15/64in (5.8mm)
980064	Bluewing Roller Tip-Top Silver ID. 18/64in (7.3mm)
980065	Bluewing Roller Tip-Top Silver ID. 15/64in (5.8mm)

Size Guide (mm)			
Part No.	Inner Diameter	Length	Width
980060	7.3	66	16
980061	5.8	66	16
980064	7.3	66	16
980065	5.8	66	16

- **360-degree roller design**, minimising friction on the line for smoother line releasing and retrieval.
- **Wide line groove** that accommodates a wide variety of line types and sizes, preventing line snags and wear.
- **Choose between the two sizes (5.8mm and 7.3mm)** best suited for your rod Tip diameter.





Bulletproof Tracing Leadering Gloves

Part No.	Description	Weight	Sold As
RX70120	M Bulletproof Tracing Leadering Gloves	0.2kg	Pair
RX70121	L Bulletproof Tracing Leadering Gloves	0.2kg	Pair
RX70122	XL Bulletproof Tracing Leadering Gloves	0.2kg	Pair
RX70123	2XL Bulletproof Tracing Leadering Gloves	0.2kg	Pair

The Bulletproof Leadering Saltwater Fishing Gloves are designed specifically for handling large game fish while providing maximum protection and comfort.

Key Features:

- **Bulletproof Protection:** Reinforced with closed-cell EVA foam and bulletproof material across the palm, fingers, and thumb to protect your hands from harsh contact with mono, wire, or cable leaders.
- **Tacky-Grip Palm:** Offers a durable, slip-resistant grip, ensuring secure handling of fishing gear and big catches.
- **Spandex Strips:** Strategically placed between fingers to enhance dexterity, making it easier to manipulate gear while maintaining hand flexibility.
- **Foam-Backed Mesh:** Ensures breathability while providing additional cushioning, keeping your fingers cool and protected during intense fishing activities.
- **Neoprene Strap:** Wrap-around design with a hook-and-loop closure for a snug, customizable fit.
- The woven cuff helps prevent snags from leader lines.

These gloves are specifically built for saltwater fishing and designed for durability, flexibility, and protection when handling large fish in demanding conditions

Available in sizes M - 2-XL, these gloves are designed for durability, flexibility, and protection out on the water.



NEW PRODUCTS

COMING SOON

Electric Reel


Part No.	Description
TBC	Bluewing Electric Reel



V2 Electric Auto Downrigger

Part No.	Description	Volts	Amps
980127	Bluewing V2 Electric Auto Downrigger Black with Black Base-Billfish 180	12V	Rate current 20A / Max 30A
980106	Bluewing Replacement Bracket 0°	N/A	N/A
980109	Bluewing Replacement Bracket 0°/15°/30°	N/A	N/A

- Automatic Depth Control: Set your preferred depth and speed, and the Bluewing downrigger will automatically deploy and retrieve the weight for true hands-free operation. The V2 upgrade features an improved line-sensing structure that lowers maintenance needs and delivers more stable, reliable depth measurement.
- Fast Retrieval Speed: Operates at an efficient retrieval speed of 100–200 ft per minute, making it quick and reliable when you need to reset lines or change location.
- Easy Mounting System: Features a universal quick release base for fast setup. **Each unit comes with a 30° mounted rod holder**, making installation straightforward.
- Telescopic Boom: Built with a 31.5–50.4 inch adjustable stainless steel boom, offering strength and flexibility to match various trolling setups and depths.
- Adjustable Rod Holder: The rod holder can be adjusted both horizontally and vertically, making it easy to set your rod in the ideal position for effective fishing.





Manual Downrigger

Part No.	Description
980120	Bluewing Manual Downrigger Black Billfish 160
980106	Bluewing Replacement Bracket 0°
980109	Bluewing Replacement Bracket 0°/15°/30°

- **Durable Housing:** Built with a high-strength nylon and fiberglass housing, this downrigger ensures excellent durability for long-term use.
- **Durable Spool:** Pre-loaded with 60m / 200ft of 68kg / 150lb stainless steel cable, offering reliable, corrosion-resistant performance in saltwater conditions for years of use.
- **The telescopic boom** adjusts from 80 to 130cm, crafted from stainless steel.
- **Efficient 2:1 retrieval speed ratio** for a load of up to 10kg / 20lbs.
- **Adjustable Dual Position Rod Holder:** The rod holder can be adjusted both horizontally and vertically, making it easy to set your rod in the ideal position for effective fishing.
- **Comes with a 30° mounted rod holder as standard.**



SCAN FOR
MANUAL



Mounted Rod Holder
Original at 30°,
0° / 15° sold separately

30°



0°



15°



30°





Auto Chunkers

Part No.	Description	Voltage	Speed (RPM)	Max Watt	Limiting Current	Capacity (L)
980100	Bluewing Auto Chunker Regular-YESE17	12/24V	3-7	120	5A	19
980101	Bluewing Auto Chunker Tuna Special (Slow Version)-YESE16	12/24V	0.75-1.75	120	5A	19
980106	Bluewing Replacement Bracket 0°	N/A	N/A	N/A	N/A	N/A
980109	Bluewing Replacement Bracket 0°/15°/30°	N/A	N/A	N/A	N/A	N/A

- Crafted from 6061-T6 aluminium and 304 stainless steel augers for durability and corrosion resistance.
- Variable speeds across different models to suit various fishing conditions.
- The automated bait dispenser is engineered with a sealed compartment for the motor, allowing for easy cleaning whilst protecting the electricals from water damage.
- Originally mounted on a 30-degree bracket, 0-degree replacement sold separately
- Perfect for replacing manual bait scattering, easing the hassle of frequent refilling.
- Compact Design: Features a foldable 5-gallon bait hopper, which makes storage convenient. Its collapsible design ensures it occupies minimal space, ideal for any boats and storage areas.
- Variable Speed: Tailor your baiting with adjustable speeds.
- Universal Compatibility: Equipped with a voltage stabilizer, the automatic chum chunker can operate efficiently at both 12V and 24V DC voltage, making it adaptable for most marine power supplies.





V3 Automatic Line Winder

Part No.	Description	Power Supply	Maximum Speed	Application Speed	Pack Qty
980110	Bluewing V3 Automatic Line Winder	AC 100-130V 60Hz or AC 200 – 240V 50Hz	400rpm	Inner diameter: 13-30mm, Width: 12-240mm, Outer diameter: < 280 mm	1
980111	Bluewing Spool Chuck for Automatic Line Winder	-	-	Ø 34.8–97.8mm reel dia.	1

- **Fully Automated Operation:** Easily set your desired line length and width parameters—then sit back as the Bluewing line winder automatically handles winding, stopping, and even removing old line from the reel. No manual effort needed — no foot pedal required, making spooling faster, more efficient and safer.
- **Touchscreen Operation:** The V3 upgraded model lets you save up to 10 reel parameter profiles directly through the touchscreen for quick, repeatable setup. The intuitive interface makes adjustments faster and easier, and the added emergency stop button offers an extra layer of safety during operation.
- **High Compatibility:** Compatible with all line types, including mono and PE, and supports a wide range of reels—from baitcasting and LP 1200 spools to spinning reels (1000–30000) and conventional reels (10, 20, 30, 50, 80, 130). Designed for versatile rigging setups.
- **High-Torque Motor:** The high-torque stepper motor provides excellent precision in winding and unwinding lines. In addition, it includes a motor overload protection feature for added safety, ensuring reliable performance without the risk of damage.
- **Quick-Release Design:** Features a quick-installation and quick-release system, allowing for fast assembly and disassembly of parts, saving valuable time during setup and operation.



Manual Line Winder

Part No.	Description	Weight	Dimensions	Applicable Spool Dimensions	Pack Qty
980115	Bluewing Manual Line Winder	2.59kg (5.73lb)	400.05mm x 59.94mm x 199.90mm (15.75" x 2.36" x 7.87")	Outer diameter (Ø): 299.97mm, Width: 214.88mm, Inner diameter (Ø): 50.03mm	1

Introducing the Bluewing Manual Line Winder, with it's easy to use design this line winder is perfect for streamlining the line installation and removal processes with a wide range of spool and reel sizes, and provide a tight and even winding preventing the froms twisting or digging into the spool.


- **Premium Material Construction:** Crafted with carbon steel for exceptional wear resistance and lightweight aluminum alloy for a sleek, attractive design. The combination of materials ensures long-lasting performance and durability.
- **Innovative Tension Adjustment:** Features an easy-to-use tension adjustment system that allows you to control the tightness of the line spool. Effortlessly adjust the tension for smooth winding, making it simple to customize for different types of fishing lines.
- **Flexible Mounting Options:** The line winder offers versatile mounting solutions. It can be securely attached using the included bolts or clamped with pliers for quick and stable setup, making it suitable for various workstations.
- **Stable Base Design:** The widened base design provides better stability and support during operation, preventing wobbling or tipping. This ensures smooth and efficient line winding without interruptions.
- **Universal Compatibility:** Designed to fit various sizes of spools, it is perfect for any fishing line diameter. It accommodates a wide range of spools, making it an ideal choice for different fishing applications.



Deep Drop Lights

Part No.	Description	Size	Pack Qty
980500	Bluewing Club Deep Drop Light White Pair	70mm x 30mm / 2.76in x 1.18in	2
980501	Bluewing Club Deep Drop Light Green Pair	70mm x 30mm / 2.76in x 1.18in	2
980502	Bluewing Club Deep Drop Light Blue Pair	70mm x 30mm / 2.76in x 1.18in	2
980504	Bluewing Club Deep Drop Light Disco Pair	70mm x 30mm / 2.76in x 1.18in	2

- Features built-in 10mm LED beads, which are 3 to 5 times brighter than standard diamond lights.
- Constructed with a PC material shell withstanding depths of up to 3000ft.
- Auto-on, water-activated LED lights offering hassle-free operation for night fishing.
- Lasts up to 360 hours of use.
- Stainless steel barrel swivel to reduce tangles.





ROD HOLDERS

Introducing the Bluewater and Streamline 360 Series Rotating Rod Holders, a pinnacle of innovation and durability in the world of fishing accessories.

Crafted with precision and designed for excellence, these rod holders are engineered to elevate your fishing experience. The gear head, meticulously cast in 316G stainless steel, is TIG welded to the rod sleeve, ensuring robust construction that withstands the rigours of offshore angling.

The foundation of these rod holders lies in the solid base plate, also cast in 316G stainless steel, providing unwavering stability and resilience against the elements. The injection-moulded polyethylene top and bottom bearings guarantee smooth and reliable rotation, enhancing the versatility and ease of use during your fishing adventures.

The 316G stainless steel locking lever ensures secure and precise positioning, giving you confidence in the stability of your fishing gear. Additionally, the rubber locking lever cover adds a touch of comfort while enhancing grip and control.

The primary difference between the two series lies in their mounting methods. Bluewater 360 Series rod holders are mounted from the top for easier installation, while Streamline 360 Series rod holders are bolted beneath the gunwale, offering a clean and refined aesthetic.

Whether you're navigating choppy waters or battling trophy fish, the Bluewater and Streamline 360 Series Rotating Rod Holders stand as a testament to quality craftsmanship, offering a seamless blend of strength, functionality, and durability for anglers who demand the best from their equipment.




Rod Holder - 0° Bluewater - Rotating - Stainless Steel

Part No.	Description	Type	Shaft Angle	Flange W x L (mm)	Overall Depth (mm)	Shaft Depth (mm)	Shaft O.D (mm)	Shaft I.D (mm)	Sleeve Swing Ø (mm)	Mount Type
BULK AVAILABLE 491212	Bluewater 360° Rotating Rod Holder - 0°	S/S	0°	116 x 143	212	197	51	40	0°	M6 c/s



- Commonly used with bent-butt rods.
- 360° rotation with locking position in 5° increments.
- Cast 316G stainless steel gear head TIG welded to the rod sleeve.
- Cast 316G stainless steel base plate.
- Injection moulded polyethylene top and bottom bearing.
- Cast 316G stainless steel top cover.
- Rubber mounting gasket.
- TIG welded 6mm stainless steel gimbal pin.
- 316G stainless steel locking lever.
- Rubber locking lever cover.
- 316G stainless steel pivot pin.
- 316G stainless steel mounting hardware.



ROD HOLDERS




Rod Holder - 15° Bluewater - Rotating - Stainless Steel

BULK AVAILABLE

Part No.	Description	Type	Shaft Angle	Flange W x L (mm)	Overall Depth (mm)	Shaft Depth (mm)	Shaft O.D (mm)	Shaft I.D (mm)	Sleeve Swing Ø (mm)	Mount Type
491214	Bluewater 360° Rotating Rod Holder - 15°	S/S	15°	116 x 143	212	197	51	40	157	M6 c/s

- 360° rotation with locking position in 5° increments.
- Cast 316G stainless steel gear head TIG welded to the rod sleeve.
- Cast 316G stainless steel base plate.
- Injection moulded polyethylene top and bottom bearing.
- Cast 316G stainless steel top cover.
- Rubber mounting gasket.
- TIG welded 6mm stainless steel gimbal pin.
- 316G stainless steel locking lever.
- Rubber locking lever cover.
- 316G stainless steel pivot pin.
- 316G stainless steel mounting hardware included.




Rod Holder - 30° Bluewater - Rotating - Stainless Steel

BULK AVAILABLE

Part No.	Description	Type	Shaft Angle	Flange W x L (mm)	Overall Depth (mm)	Shaft Depth (mm)	Shaft O.D (mm)	Shaft I.D (mm)	Sleeve Swing Ø (mm)	Mount Type
491216	Bluewater 360° Rotating Rod Holder - 30°	S/S	30°	116 x 143	198	184	51	40	253	M6 c/s

- 360° rotation with locking position in 5° increments.
- Cast 316G stainless steel gear head TIG welded to the rod sleeve.
- Cast 316G stainless steel base plate.
- Injection moulded polyethylene top and bottom bearing.
- Cast 316G stainless steel top cover.
- Rubber mounting gasket.
- TIG welded 6mm stainless steel gimbal pin.
- 316G stainless steel locking lever.
- Rubber locking lever cover.
- 316G stainless steel pivot pin.
- 316G stainless steel mounting hardware included.





Rod Holder - 0° Streamline - Rotating - Stainless Steel

BULK AVAILABLE

Part No.	Description	Type	Shaft Angle	Flange W x L (mm)	Overall Depth (mm)	Shaft Depth (mm)	Shaft O.D (mm)	Shaft I.D (mm)	Sleeve Swing Ø (mm)	Mount Type
491218	Streamline 360° Rotating Rod Holder - 0°	S/S	0°	116 x 143	212	197	51	40	0°	M6 c/s





- Commonly used with bent-butt rods.
- 360° rotation with locking position in 5° increments.
- Cast 316G stainless steel gear head TIG welded to the rod sleeve.
- Cast 316G stainless steel base plate.
- Injection moulded polyethylene top and bottom bearing.
- Cast 316G stainless steel top cover.
- Rubber mounting gasket.
- TIG welded 6mm stainless steel gimbal pin.
- 316G stainless steel locking lever.
- Rubber locking lever cover.
- 316G stainless steel pivot pin.
- 316G stainless steel mounting hardware.



Concealed under-mount fasteners ensure a sleek, streamlined finish.



Includes mounting fasteners for a complete installation.



Rod Holder - 15° Streamline - Rotating - Stainless Steel

BULK AVAILABLE

Part No.	Description	Type	Shaft Angle	Flange W x L (mm)	Overall Depth (mm)	Shaft Depth (mm)	Shaft O.D (mm)	Shaft I.D (mm)	Sleeve Swing Ø (mm)	Mount Type
491220	Streamline 360° Rotating Rod Holder - 15°	S/S	15°	116 x 143	212	197	51	40	157	M6 c/s





- 360° rotation with locking position in 5° increments.
- Cast 316G stainless steel gear head TIG welded to the rod sleeve.
- Cast 316G stainless steel base plate.
- Injection moulded polyethylene top and bottom bearing.
- Cast 316G stainless steel top cover.
- Rubber mounting gasket.
- TIG welded 6mm stainless steel gimbal pin.
- 316G stainless steel locking lever.
- Rubber locking lever cover.
- 316G stainless steel pivot pin.
- 316G stainless steel mounting hardware included.




Concealed under-mount fasteners ensure a sleek, streamlined finish.



Includes mounting fasteners for a complete installation.



7.0mm diameter clearance holes for M6 machine screws



ROD HOLDERS




Rod Holder - 30° Streamline - Rotating - Stainless Steel

BULK AVAILABLE

Part No.	Description	Type	Shaft Angle	Flange W x L (mm)	Overall Depth (mm)	Shaft Depth (mm)	Shaft O.D (mm)	Shaft I.D (mm)	Sleeve Swing Ø (mm)	Mount Type
491222	Streamline 360° Rotating Rod Holder - 30°	S/S	30°	116 x 143	198	184	51	40	253	M6 c/s

- 360° rotation with locking position in 5° increments.
- Cast 316G stainless steel gear head TIG welded to the rod sleeve.
- Cast 316G stainless steel base plate.
- Injection moulded polyethylene top and bottom bearing.
- Cast 316G stainless steel top cover.
- Rubber mounting gasket.
- TIG welded 6mm stainless steel gimbal pin.
- 316G stainless steel locking lever.
- Rubber locking lever cover.
- 316G stainless steel pivot pin.
- 316G stainless steel mounting hardware included.



Concealed under-mount fasteners ensure a sleek, streamlined finish.



Includes mounting fasteners for a complete installation.







Rod Holder - 0° Bluewater - Fixed - Stainless Steel



BULK AVAILABLE

Part No.	Description	Type	Shaft Angle	Flange W x L (mm)	Overall Depth (mm)	Shaft Depth (mm)	Shaft O.D (mm)	Shaft I.D (mm)	Mount Type
491224	Bluewater Fixed Rod Holder - 0°	S/S	0°	115 x 127	212	197	51	40	M6 c/s

- Cast 316G stainless steel face TIG welded to the rod sleeve.
- Rubber mounting gasket.
- TIG welded 6mm stainless steel gimbal pin.
- Mirror polished finish.
- 316G stainless steel mounting hardware included.





Rod Holder - 15° Bluewater - Fixed - Stainless Steel



BULK AVAILABLE

Part No.	Description	Type	Shaft Angle	Flange W x L (mm)	Overall Depth (mm)	Shaft Depth (mm)	Shaft O.D (mm)	Shaft I.D (mm)	Mount Type
491226	Bluewater Fixed Rod Holder - 15°	S/S	15°	115 x 127	212	197	51	40	M6 c/s

- Cast 316G stainless steel face TIG welded to the rod sleeve.
- Rubber mounting gasket.
- TIG welded 6mm stainless steel gimbal pin.
- Mirror polished finish.
- 316G stainless steel mounting hardware.





Rod Holder - 30° Bluewater - Fixed - Stainless Steel



BULK AVAILABLE

Part No.	Description	Type	Shaft Angle	Flange W x L (mm)	Overall Depth (mm)	Shaft Depth (mm)	Shaft O.D (mm)	Shaft I.D (mm)	Mount Type
491228	Bluewater Fixed Rod Holder - 30°	S/S	30°	115 x 127	198	185	51	40	M6 c/s

- Cast 316G stainless steel face TIG welded to the rod sleeve.
- Rubber mounting gasket.
- TIG welded 6mm stainless steel gimbal pin.
- Mirror polished finish.
- 316G stainless steel mounting hardware included.



ROD HOLDERS



Rod Holder Accessories - Bluewater Series / Streamline / Fixed

Part No.	Description	Suits
491236	Bluewater Drain - cast S/S	0° Rod Holder*
491238	Bluewater Drain - cast S/S	15°/30° Rod Holder*
491240	Bluewater Backing Plate - S/S	All Bluewater Rod Holders*
491241	Bluewater Inner Tube Sleeve	0°*
491242	Bluewater Inner Tube Sleeve	15°*
491243	Bluewater Inner Tube Sleeve	30°*
491244	Bluewater Rotation Service Kit	360° Rod Holders*

*Suits all Exploding Fish rod holders.



491241



491242



491243




491236



491238



491240



491244





Standard Stainless Steel Rod Holder

Part No.	Description	Material	Weight	Sold As
RX51001	Rod Holder STD Flush Mount Angled Inc Insert	S.S	1kg	Each
RX51001-BULK	Rod Holder STD Flush Mount Angled Inc Insert - 10 Pack	S.S	1kg	10 Pack
RX51002	Rod Holder STD Flush Mount Straight include Insert	S.S	1kg	Each
RX51002-BULK	Rod Holder STD Flush Mount Straight include Insert - 10 Pack	S.S	1kg	10 Pack

The Reelax high quality standard rod holder is constructed out of 1.6mm thick 316G stainless-steel tubing, and is ideal for the everyday fisherman. These rod holders are suitable for tackle up to 37kg and come with a rubber insert to protect your favourite gear!

Available in either a 30-degree Angle or as 90-degree straight.



Standard Stainless Steel Rod Holder with Insert & Cap

Part No.	Description	Material	Weight	Sold As
RX51003	Rod Holder STD Flush Mount Angled include Insert & Cap SS	S.S	1kg	Each
RX51003-BULK	Rod Holder STD Flush Mount Angled include Insert & Cap SS - 10 Pack	S.S	1kg	10 Pack
RX51004	Rod Holder STD Flush Mount Straight include Insert & Cap SS	S.S	1kg	Each
RX51004-BULK	Rod Holder STD Flush Mount Straight include Insert & Cap SS - 10 Pack	S.S	1kg	10 Pack

The Reelax high quality standard rod holder is constructed out of 1.6mm thick 316G stainless-steel tubing, and is ideal for the everyday fisherman. These rod holders are suitable for tackle up to 37kg and come with a rubber insert to protect your favourite gear and a sealing cap for when the rod holder is not in use.

Available in either a 30-degree Angle or as 90-degree straight.



Standard Stainless Steel Rod Holder with Insert, Cap & Drain

Part No.	Description	Material	Weight	Sold As
RX51005	Rod Holder STD Flush Mount angled include Insert, Cap & drain	S.S	1kg	Each
RX51005-BULK	Rod Holder STD Flush Mount angled include Insert, Cap & drain - 10 pack	S.S	1kg	10 Pack
RX51006	Rod Holder STD Flush Mount Straight include Insert, Cap & drain	S.S	1kg	Each
RX51006-BULK	Rod Holder STD Flush Mount Straight include Insert, Cap & drain - 10 pack	S.S	1kg	10 Pack

The Reelax high quality standard rod holder is constructed out of 1.6mm thick 316G stainless-steel tubing, and is ideal for the everyday fisherman. These rod holders are suitable for tackle up to 37kg. Fitted with drain – drain has a tail outside diameter of 13mm, and comes with a rubber insert to protect your favourite gear and a sealing cap for when the rod holder is not in use.

Available in either a 30-degree Angle or as 90-degree straight.

Hose available.



Heavy Duty Stainless Steel Rod Holder

Part No.	Description	Material	Weight	Sold As
RX52001	Rod Holder H/Duty Flush Mount Angled include Insert & Cap	S.S	1kg	Each
RX52001-BULK	Rod Holder H/Duty Flush Mount Angled include Insert & Cap - 10 Pack	S.S	1kg	10 Pack
RX52002	Rod Holder H/Duty Flush Mount Straight include Insert & Cap	S.S	1kg	Each
RX52002-BULK	Rod Holder H/Duty Flush Mount Straight include Insert & Cap - 10 Pack	S.S	1kg	10 Pack

Going after the one that got away? Reelax, has you covered with the Heavy-duty Rod Holder. Manufactured from 2mm stainless-steel tubing these rod holders are suitable for tackle up to 60kg and come with a rubber insert to protect your favourite gear and a sealing cap attached to a gasket for when the rod holder is not in use.

Available in either a 30-degree Angle or as 90-degree straight.



ROD HOLDERS



Heavy Duty Stainless Steel Rod Holder with Drain

Part No.	Description	Material	Weight	Sold As
RX56000	Rod Holder H/Duty Flush Mount Angled include Insert & Cap with Drain	S.S	1kg	Each
RX56000-BULK	Rod Holder H/Duty Flush Mount Angled include Insert & Cap with Drain - 10 Pack	S.S	1kg	10 Pack
RX57000	Rod Holder H/Duty Flush Mount Straight include Insert & Cap with Drain	S.S	1kg	Each
RX57000-BULK	Rod Holder H/Duty Flush Mount Straight include Insert & Cap with Drain - 10 Pack	S.S	1kg	10 Pack

Reelax, has you covered with the Heavy-duty Rod Holder. Manufactured from 2mm stainless-steel tubing these rod holders are suitable for tackle up to 60kg and come with a rubber insert to protect your favourite gear and a sealing cap attached to a gasket for when the rod holder is not in use. Fitted with drain – drain has a tail outside diameter of 13mm.

Available in either a 30-degree Angle or as 90-degree straight.



Rod Holder Insert Black

Part No.	Description	Weight	Sold As
RX53001	Rod Holder Insert PVC Angled	0.2kg	Each
RX53001-BULK	Rod Holder Insert PVC Angled - 10 Pack	0.2kg	Each
RX53002	Rod Holder Insert PVC Straight	0.2kg	Each
RX53002-BULK	Rod Holder Insert PVC Straight - 10 Pack	0.2kg	Each

Available as angled to suit both Reelax Standard and Heavy Duty Stainless Steel 30 degree angled rod holders or in straight to suit Reelax Standard and Heavy Duty Stainless Steel 90 degree straight rod holders.



Reelax Rod Holder Sealing Cap & Gasket Black

Part No.	Description	Weight	Sold As
RX53003	Rod Holder PVC Sealing Cap & Gasket	0.2kg	Each
RX53003-BULK	Rod Holder PVC Sealing Cap & Gasket - 10 Pack	0.2kg	10 Pack

Reelax Rod Holder Sealing Cap & Gasket Black – suits Reelax Heavy Duty Stainless Steel rod holders. Sold individually or in a pack of 10.



Reelax Rod Holder Extender 70mm

Part No.	Description	Material	Weight	Sold As
RX54000	Rod Holder Gimble Lifter SS 70mm suits Rods 50mm	S.S	0.2kg	Each

Reelax rod extenders allow short butt rods to be raised above the gunwale 70mm. This allows the deckie or angler to crank the reel handle while the rod is still in the rod holder. Suits 50mm diameter rod holders. Made from 316 Grade stainless steel and electropolished. Rod holder not included.



Reelax Rod Holder Swivel

Part No.	Description	Material	Weight	Sold As
RX55000	Rod Holder Swivel Riser SS	S.S	0.2kg	Each

Place the Reelax rod holder swivel in your existing straight rod holders. Without lifting the rod from the rod holder, just swivel the rod into position. Great for multiple hook ups, just leave the rod in the rod holder while the angler and skipper fight on, and the tip of the rod follows the fish. Suits from 40 to 50mm diameter straight rod holders. Overall length of swivel is 57mm. Made from 316 Grade stainless steel. Rod holder not included.





Stainless Steel 6 Way Heavy Tackle Rod Rack Pontoon Mount - 1155mm

Part No.	Description	Material	Weight	Sold As
RX99490	Reelax Coaming Rod Rack 316SS Pontoon Mount - 1155mm	S.S	5kg	Each

Look after your rods and reels with Reelax's new pontoon mount rod rack, avoid the risk of rod breakage or reels being scratched. Simply stow and wash!

Specifications:

- Overall Width: 1155mm
- Rod Holder Height: 250mm
- Base plates (LxW): 105 x 75mm
- Mounting holes (9mm) centre to centre – 860mm (75mm front to back)

Note: Mounting hardware not included. Rods and reels not included.



Stainless Steel Coaming Rod Racks

Part No.	Description	Material	Weight	Sold As
RX99440	Reelax Coaming Rod Rack 316G SS - 4 Way Rod Holder	S.S	5kg	Each
RX99445	Reelax Coaming Rod Rack 316G Black Edition SS - 4 Way Rod Holder	S.S	5kg	Each
RX99460	Reelax Coaming Rod Rack 316G SS - 6 Way Rod Holder	S.S	5kg	Each
RX99465	Reelax Coaming Rod Rack 316G Black Edition SS - 6 Way Rod Holder	S.S	5kg	Each



Sick of your lines tangling, rods getting damaged or even stood on and broken? Find that most aftermarket coaming rod racks don't suit the larger trolling reels such as the Shimano Tiagra's, Penn Internationals etc. Well, your wait is over!

After extensive testing to ensure they are spot on, the team at Reelax have come up with the ultimate in coaming rod racks that simply bolt on. Available in two sizes: a 4-rod holder, and a 6-rod holder version, with others available by custom request. They are Australian made in our factory of 316 Stainless Steel, available in either a hand polished to a magnificent mirror polish finish or powder coated in an alluring black finish. They feature a 6mm gimbal pin at the base of each rod holder to lock the rod into position. They are the perfect addition to any boat and helps protect your prized fishing weapons of choice.

Features:

- Ideal for storing rods safely to reduce the risk of damage.
- Designed to safely fit larger trolling reels.
- 316 stainless steel base either polished or powder coated black.
- 6mm Gimbal pin in each rod holder.

Note: Mounting hardware not included.



RX99440




RX99445




RX99460



RX99465



RX99460 - dimensions



RX99440 - dimensions

Live Bait / Slimy Tube Twin Rod Holder Mount Stainless Steel

Part No.	Description	Material	Weight	Sold As
RX97000	Live Bait Slimy Tube Rod Mount	S.S	10kg	Each

Reelax Live Bait Tubes prevent line tangling from swimming rigged baits. Simply drop Reelax Live Bait Tubes in to existing rod holders and plug in a raw water deck wash to keep baits in tip top condition. Tubes can sit outside or inside depending on your needs. Made of mirror polished 316 grade stainless steel. 38mm mounting arm is detachable for storage and is multi gimble. Tubes are 76mm diameter and are 330mm in length. Tube inlet suits standard 25mm tap fitting. Raw water pumps available on request (additional).



Slimy Twin Tube Through Transom Concealed Inlet


Part No.	Description	Material	Weight	Sold As
RX97190	Live Bait Twin Slimy Tube SS Thru Transom Centre Inlet	Mirror Polished 316 S.S	5kg	Each
RX97195	Live Bait Twin Slimy Tube Black Thru Transom Centre Inlet	Satin Black Powder Coat Finish	5kg	Each

Taking the Live Bait/Slimy Tube market to the next level are the new Twin Tube Through Transom Concealed Inlet Tubes from Reelax. These are designed to be mounted on a transom/bulkhead utilising an upper mounting block and a lower through transom (concealed inlet) fitting for support. The through transom concealed inlet allows you to drill a small hole through the transom to accept plumbing on the inside, thereby allowing you to run hidden plumbing. The concealed bulkhead inlet is a standard 1/2in BSP female thread – ready for the customer to thread either a 1/2in BSP Male elbow or straight tail in, or other plumbing fittings as required. The single inlet pumps water to both tubes simultaneously. The Reelax Live Bait Tubes prevent line tangling from swimming rigged baits and are ideal for slimys, gar and any other small live baits. Made of 316 grade stainless steel and black powder coated, the tubes are 76mm diameter and are 250mm in length. Raw water pumps available on request (additional). Available in either mirror polished 316 stainless steel or in a alluring satin black powder coat finish.

Dimensions:

- Overall Length: 375mm
- Rear Mounting Box Section: 150mm Long, with 50mm hole centres x 8mm size.
- Rear Mounting Through Transom Inlet: 70mm diameter, with 3 x 5/16in holes.
- Depth of Through Transom Inlet: 30mm.
- Through Transom Inlet Size: Accepts 1/2in BSP Male Thread.

Please Note: Mounting fasteners and plumbing fittings are not included.





TUNA / LIVE BAIT TUBES

Bonito Twin Tube Through Transom Concealed Inlet Stainless Steel

Part No.	Description	Material	Weight	Sold As
RX97485	Live Bait Twin Bonito Tube SS Thru Transom Centre Inlet	Mirror Polished 316 S.S	5kg	Each
RX97495	Live Bait Twin Bonito Tube Black Thru Transom Centre Inlet	Satin Black Powder Coat Finish	5kg	Each

Taking the Live Bait/Slimy Tube market to the next level are the new Twin Tube Through Transom Concealed Inlet Tubes from Reelax. These are designed to be mounted on a transom/bulkhead utilising an upper mounting block and a lower through transom (concealed inlet) fitting for support. The through transom concealed inlet allows you to drill a small hole through the transom to accept plumbing on the inside, thereby allowing you to run hidden plumbing. The concealed bulkhead inlet is a standard 3/4in BSP female thread – ready for the customer to thread either a 3/4in BSP Male elbow or straight tail in, or other plumbing fittings as required. The single inlet pumps water to both tubes simultaneously. The Reelax Live Bait Tubes prevent line tangling from swimming rigged baits and are ideal for slimys, gar, bonito and any other small live baits. Made of 316 grade stainless steel and black powder coated, the tubes are 100mm diameter and are 250mm in length. Raw water pumps available on request (additional).

Available in either mirror polished 316 stainless steel or in a alluring satin black powder coat finish.

Dimensions:

- Overall Length: 375mm
- Rear Mounting Box Section: 150mm Long, with 50mm hole centres x 8mm size.
- Rear Mounting Through Transom Inlet: 70mm diameter, with 3 x 5/16in holes.
- Depth of Through Transom Inlet: 32mm.
- Through Transom Inlet Size: Accepts 3/4in BSP Male Thread.

Please Note: Mounting fasteners and plumbing fittings are not included.



RX97485



RX97495



Live Bait / Slimy Tube Single Gunnel Mount Stainless Steel

Part No.	Description	Material	Weight	Sold As
RX97080	Live Bait Slimy Tube Gunnel Mount	S.S	4kg	Each
RX97082	Black Live Bait Slimy Tube Gunnel Mount	S.S	4kg	Each

Reelax Live Bait Tubes prevent line tangling from swimming rigged baits. Simply mount into the gunnel and connect a raw water deck wash to keep baits in tip top condition. Tubes mount into the gunnel for convenience. They are made of 316 grade stainless steel and mirror polished. Tubes are 76.2mm diameter and are 360mm in length. Raw water pumps available on request (additional).

Specifications:

- Tube Dimensions:: 76.2mm (Diameter) x 360mm (Height)
- Cut Out Dimensions Required: 76.3mm (Diameter)
- Overall Size: 140 (L) x 140 (W) x 365mm (H)
- Inlet" 1/2 BSP



Live Bait Twin Slimy Tube – Gunnel Mount Centre Inlet

Part No.	Description	Material	Weight	Sold As
RX97458	Live Bait Twin Slimy Tube Gunnel Mount Centre Inlet	S.S	8kg	Each

Improve your fishing game with these Twin Gunnel Mount Slimy Live Bait Tubes. Reelax Live Bait Tubes prevent line tangling from swimming rigged baits. Simply Mount into the gunnel and connect a raw water deck wash to keep your baits in tip top condition.

With two 316G mirror polished stainless steel slimy tubes with a standard 1/2 inch BSPF inlet fitting.

Specifications:

- Material: 316G Mirror Polished Stainless Steel
- Overall Dimensions (LxWxD): 200mm x 90mm x 340mm
- Cut-out Dimensions (LxW): 78mm x 174mm
- Tube Outside Diameter: 76.6mm
- Tube Length: 330mm
- Mounting Holes: 4 x 4.30mm Ø
- Inlet Fitting: 1/2 inch BSPF



5 Hole Live Bait Gunnel mount – Slimy/Bonito

Part No.	Description	Material	Weight	Sold As
RX97465	Live Bait 5 hole Slimy/Bonito Tube Gunnel Mount	S.S	12kg	Each

Improve your fishing game with these Gunnel Mount 5 Bank Live Bait Tubes. Relax Live Bait Tubes prevent line tangling from swimming rigged baits. Simply Mount into the gunnel and connect a raw water deck wash to keep your baits in tip top condition.

With three 316G mirror polished stainless steel slimy tubes and two bonito tubes with a standard 3/4" BSP tap fitting for waterflow and an anode on one end to help prevent galvanic corrosion.

Bonito Tubes (2 Tubes):

- Bonito Tube Length: 375mm
- Bonito Tube O.D.: 102mm
- Inlet Fitting: 3/4" BSP

Slimy Tubes (3 Tubes):

- Slimy Tube Length: 330mm
- Slimy Tube O.D.: 76.6
- Inlet Fitting: 3/4" BSP




Bonito Tube Twin Gunnel Mount Stainless Steel

Part No.	Description	Material	Weight	Sold As
RX97460	Live Bait Twin Bonito Tube Gunnel Mount Centre Inlet	S.S	8kg	Each

Relax Live Bait Tubes prevent line tangling from swimming rigged baits. Simply mount into the gunnel and connect a raw water deck wash to keep baits in tip top condition. Tubes mount into the gunnel for convenience. They are made of 316 grade stainless steel and mirror polished. Tubes are 100mm diameter and are 375mm in length. Tube inlet suits standard 3/4 in BSP tap fittings. Raw water pumps available on request (additional).

Dimensions:

- Cut Out Dimensions Required: 223 (L) x 103mm (W)
- Overall Size: 260 (L) x 140 (W) x 420mm (H)



Live Bait / Tuna Tube Single Transom Mount Stainless Steel

Part No.	Description	Material	Weight	Sold As
RX97500	Live Bait Tuna Tube Transom Mount	S.S	14kg	Each

Relax Tuna Tubes prevent line tangling from swimming large rigged baits. Simply mount on a flat surface and plug in a raw water deck wash to keep your baits in tip top condition. Tubes can sit outside or inside depending on your needs. Made of mirror polished 316 grade stainless steel they look fantastic, and are the ideal addition to those chasing the bigger bluewater beasts we have come to love chasing. Tubes are 150mm in diameter and 550mm in length to suit those bigger baits. Tube inlet suits standard 25mm tap fitting. Raw water pumps available on request (additional).

Dimensions:

- Overall Size (L x W x H): 365 x 280 x 610mm
- Tube Size (L x D): 550 x 150mm (diameter)
- Hose Fittings: Twin 1in Female/Single 1in Male BSP Thread
- Material: 316G Stainless Steel
- Style: Bolt On
- Mounting Plate: 280mm x 30mm (x2)
- Mounting Holes: 6mm x 4





FIGHTING GAME CHAIRS

Game Fighting Chair 80lb NFC

Part No.	Description	Weight	Sold As
RX83000	Reelax Game Fighting Chair 80LB NFC	30kg	Each

The 80lb Narrow Fighting Chair (NFC) is ideal for smaller cockpits. Back rest reclines, and the footrest adjusts in and out also up and down. Optional clip on upholstery available. Features 2 rod holders in the side.

Chair Dimensions:

- Maximum swinging radius is 850mm, footrest fully extended.
- Overall maximum length footrest fully extended, and the back down is 1550mm.
- Maximum chair width is 710mm.
- Seat base is 525mm wide x 495mm depth.
- Pedestal Diameter: 76.2mm
- Maximum footrest width is 730mm x 310mm depth.
- Overall Dimensions (upright) 1210mm (H) x 730mm (W) x 1080mm (D).

Please Note: Game Chair Cover, and stainless deck plate if required is additional.



Replacement 80lb NFC/LTD Game Chair Pedestal & White Swivel Top

Part No.	Description	Weight	Sold As
RX83120	Reelax Replacement 80lb NFC Game Chair Pedestal & White Swivel Top	5kg	Each

Reelax Replacement 80lb NFC Game Chair Pedestal & White Swivel Top. Pedestal is 550mm overall height as per standard builds.

- 316g SS mirror polished post
- Post dimensions 76mm x 550mm



Replacement 80lb NFC Game Chair Cushion Set

Part No.	Description	Weight	Sold As
RX83130	Reelax Replacement 80lb NFC Game Chair Cushion Set	8kg	Each

Reelax Replacement 80lb NFC Game Chair Cushion Set.



FIGHTING GAME CHAIRS



Game Fighting Chair 130lb AFC

Part No.	Description	Weight	Sold As
RX81001	Reelax Game Fighting Chair 130LB AFC	35kg	Each

The Reelax 130lb Game Fighting Chair is manufactured from solid fibreglass and mirror polished 316G stainless steel with a heavy duty 102mm post and 3mm wall thickness.

Both the game chair swivel mount and floor mount are also manufactured from mirror-polished 316G stainless steel for maximum strength and durability.

Fibreglass components are built to withstand years of use.

This is purpose-built to handle fighting the biggest granders year after year. The Australian Fighting Chair (AFC) 130lb includes clip on upholstery. Fully adjustable with a reclining backrest, adjustable footrest, 4 rod holders, it's easy to see why this is our most popular game chair.

Chair Dimensions:

- Maximum Overall Length (Footrest Extended): 1450mm.
- Post Diameter: 102mm.
- Post Wall Thickness: 3mm
- Maximum Swinging Radius: 1060mm.

Please Note: Game Chair Cover, and stainless deck plate if required is additional.



Replacement 130lb AFC Game Chair Pedestal with Handles

Part No.	Description	Material	Sold As
RX81111	Reelax Replacement 130lb AFC Game Chair Pedestal with Handles	316g SS	Each

Reelax Replacement 130lb AFC Game Chair Pedestal & White Swivel Top. Pedestal is constructed out of 316G stainless steel, and has a height of 600mm and a diameter of 102mm.





FIGHTING GAME CHAIRS & ACCESSORIES

Game Fighting Chair 130lb AFC with Offset Pedestal

Part No.	Description	Weight	Sold As
RX81004	Reelax Game Fighting Chair 130lb AFC with Offset Pedestal	35kg	Each

The Reelax 130lb Game Fighting Chair is manufactured from solid fibreglass and mirror polished 316G stainless steel now with a heavy duty offset 102mm post and 6mm wall thickness.

Both the game chair swivel mount and floor mount are also manufactured from mirror-polished 316G stainless steel for maximum strength and durability.

Fibreglass components are built to withstand years of use.




This is purpose-built to handle fighting the biggest granders year after year. The Australian Fighting Chair (AFC) 130lb includes clip on upholstery. Fully adjustable with a reclining backrest, adjustable footrest, 4 rod holders, it's easy to see why this is our most popular game chair.

Includes Reelax 130lb AFC Cushion Set (RX81130).

Chair Dimensions:

- Maximum Overall Length (Footrest Extended): 1450mm.
- Post Diameter: 102mm.
- Post Wall Thickness: 6mm
- Post Offset: 419mm
- Maximum Swinging Radius: 960mm.

Please Note: Game Chair Cover, and stainless deck plate if required is additional.



Replacement 130lb AFC Game Chair Offset Pedestal with Handles

Part No.	Description	Material	Sold As
RX81114	Reelax Replacement 130lb AFC Game Chair Offset Pedestal with Handles	316g SS	Each

Reelax Replacement 130lb AFC Game Chair Pedestal & White Swivel Top. The Reelax Offset Pedestal is constructed out of 316G stainless steel, and has a height of 600mm and a diameter of 102mm. Post Offset is 419mm.



Fighting Chair 130lb AFC with Prep Board Back Mount

Part No.	Description	Weight	Sold As
RX81300	Reelax Fighting Chair 130lb AFC with Prep Board Back Mount	35kg	Each

The Reelax 130lb Game Fighting Chair is manufactured from solid fibreglass and mirror polished 316G stainless steel with a heavy duty 102mm post and 3mm wall thickness. Fitted to this chair replacing the conventional back rest is our ever popular back mount prep board, with a further 4 rod holders, 2 cup holders, 2 plier holders and a rigging area making it the ideal setup.

Both the game chair swivel mount and floor mount are also manufactured from mirror-polished 316G stainless steel for maximum strength and durability.

Fibreglass components are built to withstand years of use.

This is purpose-built to handle fighting the biggest granders year after year. The Australian Fighting Chair (AFC) 130lb includes clip on upholstery. Fully adjustable with a reclining backrest, adjustable footrest, 4 rod holders.

Chair Dimensions:

- Maximum Overall Length (Footrest Extended): 1700mm.
- Post Diameter: 102mm.
- Post Wall Thickness: 3mm
- Maximum Swinging Radius: 1060mm.

Please Note: Game Chair Cover, and stainless deck plate if required is additional.



Fighting Chair 130lb AFC Grey with Prep Board Back Mount

Part No.	Description	Weight	Sold As
RX81320	Reelax Fighting Chair 130lb AFC Grey with Prep Board Back Mount	35kg	Each

The Reelax 130lb Game Fighting Chair is manufactured from solid fibreglass and mirror polished 316G stainless steel with a heavy duty 102mm post and 3mm wall thickness. Fitted to this chair replacing the conventional back rest is our ever popular back mount prep board, with a further 4 rod holders, 2 cup holders, 2 plier holders and a rigging area making it the ideal setup.

Both the game chair swivel mount and floor mount are also manufactured from mirror-polished 316G stainless steel for maximum strength and durability.

Fibreglass components are built to withstand years of use.

This is purpose-built to handle fighting the biggest granders year after year. The Australian Fighting Chair (AFC) 130lb includes clip on upholstery. Fully adjustable with a reclining backrest, adjustable footrest, 4 rod holders.

Chair Dimensions:

- Maximum Overall Length (Footrest Extended): 1700mm.
- Post Diameter: 102mm.
- Post Wall Thickness: 3mm
- Maximum Swinging Radius: 1060mm.

Please Note: Game Chair Cover, and stainless deck plate if required is additional.





GAME CHAIR SPARES & ACCESSORIES

Replacement 130lb AFC Game Chair Cushion Set

Part No.	Description	Weight	Sold As
RX81130	Reelax Replacement 130lb AFC Game Chair Cushion Set	8kg	Each

Reelax Replacement 130lb AFC Game Chair Cushion Set



Game Fighting Chair Harness for AFC

Part No.	Description	Weight	Sold As
RX85000	Reelax Game Fighting Chair Harness for AFC - White	6kg	Each

The Reelax Game Chair Harness 8.5 is a must for 80lb and 130 lb game chairs. Multi adjusting quick release chain. Water resistant inner canvas. Ultra strong internal fiberglass frame with a stainless steel strap support.



Game Chair Cover Vinyl White Only

Part No.	Description	Weight	Sold As
RX81500	Game Chair Cover to Suit Chair with Back Prep Board	4.5kg	Each
RX81600	Game Chair Cover to Suit AFC & NFC	4.5kg	Each

Reelax Game Chair Cover Vinyl White to suit AFC & NFC. Please specify when ordering whether it is to suit a chair with back prep board or not.



Fighting Chair Gimble Snubber

Part No.	Description	Weight	Sold As
RX80001	Reelax Fighting Chair Gimble Snubber	1kg	Each

A replacement Snubber Cord for your Reelax Fighting Chairs Gimble Cup.





Fighting Chair Spare Gimble Cup

Part No.	Description	Weight	Sold As
RX81700	Reelax Fighting Chair Spare Gimble Cup	1kg	Each

A replacement Gimble Cup for your Reelax AFC or NFC Fighting Chairs.



Light Tackle Station Prep Board Back Mount

Part No.	Description	Weight	Sold As
RX91100	Light Tackle Station White Prep Board Back Mount	18kg	Each
RX91120	Light Tackle Station Storm Grey Prep Board Back Mount	18kg	Each

This is the Perfect addition for all Reelax Game Fishing Chairs. With 4 mirror polished standard angled rod holders, 2 fitted plier holders which are perfect for holding tag poles, pliers and hook out tools along with two stainless steel stepped drink holders and a cutting board that sits within a moulded recess this prep board is the ultimate fishing station for any serious fisherman. Available in White or Storm Grey.

- 4 x Reelax Standard Stainless-steel rod holder with insert and cap (RX51003)
- 2x Multi-Purpose Stainless Steel Plier Holders
- 2x Reelax Stainless Steel Stepped Drink Holder (RX98100)
- 1x Reelax Chopping Board 575x325x12.5mm (RX92910)
- Prep Board Dimensions (WxD): 1000mm x 560mm





Light Tackle Station Rocket Launcher & Stainless Steel Pedestal White Swivel

Part No.	Description	Material	Weight	Sold As
RX90005	Rocket Launcher White & SS Pedestal / White Swivel	White Prep & SS	12kg	Each
RX90025	Rocket Launcher Storm Grey & SS Pedestal / White Swivel	Storm Grey & SS	12kg	Each

The Light Tackle Station Rocket Launcher is a light tackle rod storage station. This durable light tackle station can be trolled from or used as a shot gun rod holder. With a seamless gloss finish laminated fibreglass is light while not forgoing the necessary strength. The Reelax Rocket Launcher comes with 4 mirror polished standard angled rod holders fitted with sealing caps. This quality unit fits to a cockpit floor via a robust stainless-steel pedestal with white swivel top (optional deck plate also allows you to remove from floor if you wanted to substitute for a game chair.)

Available with a White or Storm Grey Rocket Launcher

Rocket Launcher Specifications:

- 4 x Reelax Standard Stainless-steel rod holder with insert and cap (RX51003)
- Rocket Launcher Dimensions (WxD): 850mm x 330mm

Pedestal Specifications

- SKU: RX22500
- Material Stainless Steel
- Height: 750mm
- Tube O.D.: 76mm
- Swivel Top: 360° Rotation
- Base Plate (Dia. Ø): 230mm

Additional Base Plate – RX29000



RX90005



RX90025



Light Tackle Station White Rocket Launcher with Slimy Tubes & Stainless Steel Pedestal

Part No.	Description	Material	Weight	Sold As
RX90055	Rocket Launcher White with Twin Slimy Tubes & SS Pedestal	White Prep & SS	12kg	Each
RX90070	Rocket Launcher White with Twin Slimy Tubes - Top Only	White Prep & SS	10kg	Each

The Light Tackle Station Rocket Launcher is a light tackle rod storage station. This durable light tackle station can be trolled from or used as a shot gun rod holder. With a seamless gloss finish laminated fibreglass is light while not forgoing the necessary strength. The Reelax Rocket Launcher comes with 4 mirror polished standard angled rod holders fitted with sealing caps and two integrated stainless steel Reelax Live Bait Slimy Tubes just simply connect a pump and you are set. This quality unit fits to a cockpit floor via a robust stainless-steel pedestal with white swivel top (optional deck plate also allows you to remove from floor if you wanted to substitute for a game chair.)

Rocket Launcher Specifications:

- 4 x Reelax Standard Stainless-steel rod holder with insert and cap (RX51003)
- 2x Reelax Live Bait Slimy Tube with a 76mm Diameter
- Rocket Launcher Dimensions (WxD): 850mm x 330mm

Pedestal Specifications

- SKU: RX22500
- Material Stainless Steel
- Height: 750mm
- Tube O.D.: 76mm
- Swivel Top: 360° Rotation
- Base Plate (Dia. Ø): 230mm

Additional Base Plate – RX29000



RX90055



RX90070



Light Tackle Station Prep Board with Exploding Fish Rod Holders & Stainless Steel Pedestal

Part No.	Description	Material	Weight	Sold As
RX91030	Light Tackle Station White Prep with exploding fish rod holders & SS Ped	White Prep & SS	10kg	Each

Improve your Fishing Game with a Reelax Light Tackle Station, fitted with two straight and 15-degree exploding fish fixed Bluewater rod holders.

This durable Light Tackle Station can also be trolled from or used as a shotgun holder. The top is laminated with fibreglass making it lightweight with forgoing strength and has a stunning seamless gloss finish. These Reelax prep board come with two mirror-polished straight and two 15-degree exploding fish rod holders. Fitted with two mirror-polished stainless steel plier holders and are great for holding tag poles, plies & hook out tools, along with two stainless steel drink holders and a mounted cutting board which can be easily replaced down the track. This quality unit fits to a cockpit floor via a robust stainless-steel pedestal with a white swivel top. (Optional deck plate also available that allows you to remove from floor if you wanted to substitute with a game chair.)

Prep Board Includes:

- 2 x Exploding Fish Bluewater Stainless Steel Straight Fixed Rod Holder (491224)
- 2 x Exploding Fish Bluewater Stainless Steel 15° Fixed Rod Holder (491226)
- 2x Reelax Stainless Steel Stepped Drink Holder (RX98100)
- 1x Reelax Chopping Board 500 x 200 x 12.5mm (RX92900)
- 2x Multi-Purpose Stainless Steel Plier Holders
- Prep Board Dimensions (WxHxD): 860 x 120 x 440mm (including swivel top)

Pedestal Specifications

- SKU: RX22500
- Material Stainless Steel
- Height: 750mm
- Tube O.D.: 76mm
- Swivel Top: 360° Rotation
- Base Plate (Dia. Ø): 230mm

Additional Base Plate – RX29000



Light Tackle Station Prep Board & Stainless Steel Pedestal White Pedestal

Part No.	Description	Material	Weight	Sold As
RX91005	Light Tackle Station White Prep Board & SS Pedestal White Swivel	White Prep & SS	10kg	Each
RX91025	Light Tackle Station Storm Grey Board & SS Pedestal White Swivel	Storm Grey & SS	10kg	Each

Improve your Fishing Game with a Reelax Light Tackle Station!

This Durable Light Tackle Station can also be trolled from or used as a shotgun holder. The top is laminated with white fibreglass making it lightweight without forgoing strength with a stunning seamless gloss finish. These Reelax Prep Boards come with 4 mirror polished standard angled rod holders fitted with sealing caps, 2 plier holders fitted are mirror polished stainless and are great for holding tag poles, pliers & hook out tools, there are also 2 Stainless drink holders fitted, along with a mounted cutting board which can be easily replaced down the track. This quality unit fits to a cockpit floor via a robust stainless-steel pedestal with white swivel top. (optional deck plate also allows you to remove from floor if you wanted to substitute for a game chair).

Available with a White or Storm Grey Prep Board.

Prep Board Includes:

- 4 x Reelax Standard Stainless-steel rod holder with insert and cap (RX51003)
- 2x Reelax Stainless Steel Stepped Drink Holder (RX98100)
- 1x Reelax Chopping Board 500 x 200 x 12.5mm (RX92900)
- 2x Multi-Purpose Stainless Steel Plier Holders
- Prep Board Dimensions (WxHxD): 860 x 120 x 440mm (including swivel top)

Pedestal Specifications

- SKU: RX22500
- Material Stainless Steel
- Height: 750mm
- Tube O.D.: 76mm
- Swivel Top: 360° Rotation
- Base Plate (Dia. Ø): 230mm

Additional Base Plate – RX29000



RX91005



RX91025





Light Tackle Station – Deluxe Prep Board & Stainless Steel Pedestal

Part No.	Description	Material	Weight	Sold As
RX92050	Light Tackle Station White Deluxe Prep Board & SS Pedestal/White swivel	White Prep & SS	22kg	Each
RX92052	Light Tackle Station White Deluxe Prep Board only with square mount	White Prep & SS	22kg	Each
RX92070	Light Tackle Station Storm Grey Deluxe Prep Board & SS Pedestal/White swivel	Storm Grey & SS	22kg	Each

The Reelax Light Tackle Station – Deluxe Prep Board and Stainless-Steel Pedestal is a multi-purpose tackle and rod storage rigging facility. This durable light tackle station can also be trolled from or used as a shot gun holder. The top is laminated with white fibreglass making it lightweight without forgoing strength with a stunning seamless gloss finish. These Reelax Prep Boards come with 4 mirror polished standard angled rod holders fitted with sealing caps, 2 plier holders fitted are mirror polished stainless and are great for holding tag poles, pliers & hook out tools, there are also 2 Stainless drink holders fitted. Along with the cutting board sits within a moulded recess and can be easily replaced down the track. Mirror polished side grab rails are fitted either side of the 850mm wide top. This quality unit fits to a cockpit floor via a robust stainless-steel pedestal with white swivel top (optional deck plate also allows you to remove from floor if you wanted to substitute for a game chair.)

Available with a White or Storm Grey Deluxe Reelax Prep Board.

Prep Board Includes:

- 4 x Reelax Standard Stainless-steel rod holder with insert and cap (RX51003)
- 2x Reelax Stainless Steel Stepped Drink Holder (RX98100)
- 1x Reelax Chopping Board 575x325x12.5mm (RX92910)
- 2x Multi-Purpose Stainless Steel Plier Holders
- 2x Stainless Steel Handrails
- Prep Board Dimensions (WxD): 1000mm x 560mm (with handle rails included)

Pedestal Specifications

- SKU: RX22500
- Material Stainless Steel
- Height: 750mm
- Tube O.D.: 76mm
- Swivel Top: 360° Rotation
- Base Plate (Dia. Ø): 230mm

Additional Base Plate – RX29000



RX92050



RX92070



Light Tackle Station with Deluxe Prep Board/Tackle Drawer & Stainless-Steel Pedestal

Part No.	Description	Material	Weight	Sold As
RX92150	Light Tackle Station White Deluxe Prep Board /Tackle Drawer SS Pedestal/White swivel	White Prep & SS	30kg	Each
RX92170	Light Tackle Station Storm Grey Deluxe Prep Board /Tackle Drawer SS Pedestal/White swivel	Storm Grey & SS	30kg	Each

The Reelax Light Tackle Station – Deluxe Prep Board and Stainless-Steel Pedestal is a multi-purpose tackle and rod storage rigging facility with the addition of a 3 Draw Tackle Box this unit also provides convenient storage of all your rigging parts. This durable light tackle station can also be trolled from or used as a shot gun holder. The top is laminated with white fibreglass making it lightweight without forgoing strength with a stunning seamless gloss finish. These Reelax Prep Boards come with 4 mirror polished standard angled rod holders fitted with sealing caps, 2 plier holders fitted are mirror polished stainless and are great for holding tag poles, pliers & hook out tools, there are also 2 Stainless drink holders fitted. Along with the cutting board sits within a moulded recess and can be easily replaced down the track. Mirror polished side grab rails are fitted either side of the 850mm wide top. This quality unit fits to a cockpit floor via a robust stainless-steel pedestal with white swivel top (optional deck plate also allows you to remove from floor if you wanted to substitute for a game chair.)

Available with a White or Storm Grey Prep Board.

Prep Board Includes:

- 4 x Reelax Standard Stainless-steel rod holder with insert and cap (RX51003)
- 2x Reelax Stainless Steel Stepped Drink Holder (RX98100)
- 1x Reelax Chopping Board 575x325x12.5mm (RX92910)
- 2x Multi-Purpose Stainless Steel Plier Holders
- 2x Stainless Steel Handrails
- Prep Board Dimensions (WxD): 1000mm x 560mm

Pedestal Specifications

- SKU: RX22500
- Material Stainless Steel
- Height: 750mm
- Tube O.D.: 76mm
- Swivel Top: 360° Rotation
- Base Plate (Dia. Ø): 230mm

Additional Base Plate – RX29000

Tackle Box Specifications:

- Overall Dimensions (WxHxD): 388x282x225mm
- 3x Tackle Tray Inserts: 280 x 190 x 45mm



RX92150



RX92170



Light Tackle Station with Deluxe Prep Board / Live Bait & Stainless Steel Pedestal

Part No.	Description	Material	Weight	Sold As
RX92250	Light Tackle Station White Deluxe Prep Board/Live Bait & SS Pedestal/White swivel	White Prep & SS	18kg	Each
RX92270	Light Tackle Station Dark Grey Deluxe Prep Board/Live Bait & SS Pedestal/White swivel	Storm Grey & SS	18kg	Each

The Reelax Light Tackle Station – Deluxe Prep Board and Stainless-Steel Pedestal is a multi-purpose tackle and rod storage rigging facility with the addition of a Live Bait Tank for you to keep your bait fresh while out at sea. This durable light tackle station can also be trolled from or used as a shot gun holder. The top is laminated with white fibreglass making it lightweight without forgoing strength with a stunning seamless gloss finish. These Reelax Prep Boards come with 4 mirror polished standard angled rod holders fitted with sealing caps, 2 plier holders fitted are mirror polished stainless and are great for holding tag poles, pliers & hook out tools, there are also 2 Stainless drink holders fitted. Along with the cutting board sits within a moulded recess and can be easily replaced down the track. Mirror polished side grab rails are fitted either side of the 850mm wide top. This quality unit fits to a cockpit floor via a robust stainless-steel pedestal with white swivel top (optional deck plate also allows you to remove from floor if you wanted to substitute for a game chair.)

Available with a White or Storm Grey Prep Board & Live Bait Tank.

Prep Board Includes:

- 4 x Reelax Standard Stainless-steel rod holder with insert and cap (RX51003)
- 2x Multi-Purpose Stainless Steel Plier Holders
- 2x Reelax Stainless Steel Stepped Drink Holder (RX98100)
- 1x Reelax Chopping Board 575x325x12.5mm (RX92910)
- 2x Stainless Steel Handrails
- Prep Board Dimensions (WxD): 1000mm x 560mm

Live Bait Tank Specifications:

- Overall Dimensions (WxHxD): 500mm x 300mm x 250mm



RX92250



RX92270

Pedestal Specifications

- SKU: RX22500
 - Material Stainless Steel
 - Height: 750mm
 - Tube O.D.: 76mm
 - Swivel Top: 360° Rotation
 - Base Plate (Dia. Ø): 230mm
- Additional Base Plate – RX29000



TABLE PEDESTALS & MOUNTS

Table Pedestal 645mm Stowable

Part No.	Description	Material	Weight	Sold As
RX34000	Pedestal Table Stowable 645mm	Alloy	5kg	Each

Mounting wise the deck plate is 240mm in diameter, and the spigot requires an approximate Overall height of the pedestal is 645mm



Stainless Steel Mirror Polished Fixed Table Leg

Part No.	Description	Material	Weight	Sold As
RX32200	Pedestal Table 750mm Fixed Round Top & Base	SS	6kg	Each

Stainless steel mirror polished fixed table leg standard height is 750mm, other sizes available (additional).





TABLE PEDESTALS & MOUNTS

Table Pedestal Stainless Steel Removable 750mm

Part No.	Description	Material	Weight	Sold As
RX32400	Pedestal Table Heavy Duty 750mm SS Removable & White Swivel	SS	5kg	Each

Have you ever had the need for a removable table pedestal, though don't like to leave an unsightly plate / trip hazard on the deck... well the Reelax Removable Table Pedestal is the solution for you!. Made from 316 stainless steel and mirror polished it looks fantastic. The removable spigot goes into our custom mirror polished stainless steel 240mm deck plate, to leave a subtle reminder on the deck once the pedestal is removed. It comes with a die casted aluminium swivel top to allow the table to rotate on the pedestal.

Mounting wise the deck plate is 240mm in diameter, and the spigot requires an approximate 40mm depth for fitting. Overall height of the pedestal is 750mm.

We can further customise the deck plate to accommodate a tackle station, game chair, or even helm seat, please contact us for further information.

Please note: Table pictured in image gallery is not included, this is to show you what it looks like on the pedestal.



Stainless Steel Floor / Deck Plate to Suit Removable Table Pedestals

Part No.	Description	Material	Weight	Sold As
RX32410	Pedestal Table Spare Deck Base for Removable Pedestal	SS	4kg	Each

Spare / Replacement Stainless Steel Deck Plate for Removable Reelax Table Pedestals.

Overall diameter of plate is 240mm.



Table Top Fibreglass Small

Part No.	Description	Material	Weight	Sold As
RX38000	Table Fibreglass White Small Top Only	Fibreglass	8kg	Each

This small fibreglass cockpit table has a moulded gel coat finished top, and is resistant to wear. All edges are radial and a decorative flange (2 inch) allows for easy cleaning. A raised 5mm lip stops items sliding / rolling off the table top. Mounting pad laid up in glass in the middle underneath for mounting to pedestal. Dimensions 850 x 850mm . Weight 6kg. Cover available (additional). Sold as top only.



Standard Monocolour Vinyl T/s Relaxn Seats – P/M

Part No.	Description	Materials	Weight	Sold As
RX16300	Vinyl Standard Camel Tan per metre	UV Stabilised Vinyl	1.08kg	Per Mtr
RX16350	Vinyl Standard Light Grey per metre	UV Stabilised Vinyl	1.08kg	Per Mtr
RX16360	Vinyl Standard Dark Grey per metre	UV Stabilised Vinyl	1.08kg	Per Mtr
RX01423	UV Stabilised Vinyl Dark Grey per metre	UV Stabilised Vinyl	1.08kg	Per Mtr
RX01429	UV Stabilised Vinyl White per metre	UV Stabilised Vinyl	1.08kg	Per Mtr




RX16300

Looking for a high quality vinyl to improve the look of your old and well used seats, this high quality, UV stabilised, vinyl is the perfect addition for you and your vessel to provide you with a style that will last.

- Available for purchase per metre.
- Standard Available in Camel Tan, Light Grey or Dark Grey.
- UV Stabilised Available in Dark Grey or White.
- Cut from 36 Metre Rolls that are 1.4 metres wide.



RX01423



RX01429



RX16360



RX16350

Carbon Texture Vinyl Per Metre

Part No.	Description	Materials	Weight	Sold As
RX16410	Carbon Black Texture Vinyl Per Metre	UV Stabilised Vinyl	1.08kg	Per Mtr
RX16420	Carbon Silver Texture Vinyl Per Metre	UV Stabilised Vinyl	1.08kg	Per Mtr
RX16455	Carbon Grey Texture Vinyl Per Metre	UV Stabilised Vinyl	1.08kg	Per Mtr
RX16480	Carbon Blue Texture Vinyl Per Metre	UV Stabilised Vinyl	1.08kg	Per Mtr




RX16410

UV stabilised upholstery which is suitable for all marine environments, this vinyl is perfect if you are looking for more ways to customize the look and style of your boat.

Specifications:


- 36 Metre Rolls
- Width: 1400mm
- Available for purchase by the metre
- Available in various carbon textured colours: Black, Silver, Grey, Blue



RX16420



RX16455



RX16480

Stitched Pattern Vinyl T/s Relaxn Nautilus Series Seats – P/M

Part No.	Description	Materials	Weight	Sold As
RX16500	Vinyl Stitched Pattern Camel Tan includes gauze & 5mm foam per metre	UV Stabilised Vinyl	1.08kg	Per Mtr
RX16510	Vinyl Stitched Pattern Black includes gauze & 5mm foam per metre	UV Stabilised Vinyl	1.08kg	Per Mtr
RX16550	Vinyl Stitched Pattern Light Grey includes gauze & 5mm foam per metre	UV Stabilised Vinyl	1.08kg	Per Mtr
RX16560	Vinyl Stitched Pattern Dark Grey includes gauze & 5mm foam per metre	UV Stabilised Vinyl	1.08kg	Per Mtr



RX16500

Looking for a high quality vinyl to improve the look of your old and well used seats, this high quality, UV stabilised, vinyl is the perfect addition for you and your vessel to provide you with a style that will last.


- Available for purchase per metre.
- Includes gauze and 5mm foam P/M
- Available in Camel Tan, Light Grey, Dark Grey or Black.
- 36 Metre Rolls

Stitched Pattern Pacific Vinyl inc. Gauze & 5mm Foam – P/M


Part No.	Description	Materials	Weight	Sold As
RX16600	Pacific Stitched Pattern Camel Tan with 5mm Foam & Gauze	UV Stabilised Vinyl	1.08kg	Per Mtr
RX16610	Pacific Stitched Pattern Camel White with 5mm Foam & Gauze	UV Stabilised Vinyl	1.08kg	Per Mtr

Looking for a high quality vinyl to improve the look of your old and well used seats, the this high quality, UV stabilised, vinyl is the perfect addition for you and your vessel to provide you with a style that will last.

- Available for purchase per metre.
- Includes gauze and 5mm foam P/M
- Available in Camel Tan or White
- 36 Metre Rolls



RX16600



RX16610

MORE PRODUCTS COMING SOON



SEAT & PEDESTAL MOUNTS



Stainless Steel Floor / Deck Plate

Part No.	Description	Material	Weight	Sold As
RX29000	Pedestal Deck Plate 230mm x 8mm	SS	4kg	Each

- Stainless steel floor / deck plate allows game chair and stainless seat/table pedestals to be removed from the deck area. Recess plate into deck for a flush finish.
- Overall diameter of plate is 240mm.



Stainless Steel Seat Mount Pedestal

Part No.	Description	Material	Sold As
RX22500	Pedestal Seat / Table 750mm x 76mm	SS & White Alloy Swivel	Each
RX25000	Pedestal Storage Box Mount 150mm	SS & White Alloy Swivel	Each
RX24500	Pedestal Swivel Top White Suits SS	White Alloy Swivel	Each

- Reelax fixed height stainless steel seat post is in a fixed height of 750mm, though can be cut from 180-750mm at height that suits your needs.
- Die cast powder coated alloy swivel has a full nylon bush and swivels 360 degrees.



BOATING ACCESSORIES

Bottle Opener (REELAX) SS316 include Mounting Hardware

Part No.	Description	Material	Weight	Sold As
RX98400	Bottle Opener (REELAX) SS316 include Mounting Hardware	SS	0.3kg	Single

The perfect thing for that avid boatie, or the eager party goer, is this gorgeous looking Reelax Bottle Opener! Mount it to your bar, on your boat, on your esky... well lets be real, anywhere convenient where you can mount it, and its close to the fridge/esky!

- Height: 76mm, Width: 60mm





Stainless Steel Reef Anchor Holder Clamp On

Part No.	Description	Material	Weight	Sold As
RX95000	Reelax Clamp On Reef Anchor Holder	SS	3kg	Each

The Reelax Stainless Steel Reef Anchor Holder Clamp On is the ideal addition to your boat for storing your reef anchor or pick on a bow rail when not in use. Made out of 316 Stainless Steel and complete with a mirror polished finish it is going to look amazing on any rig. Features a 60mm diameter tube (63.5mm O.D.), it suits many reef anchor shafts and is 400mm long. Clamp suits both 25mm and 32mm diameter tubes.



Boarding Handle 316G Stainless Steel

Part No.	Description	Material	Weight	Sold As
RX98900	Boarding Handle suits Rod holder 90°	SS	7kg	Each
RX98950	Boarding Handle suits Rod holder 30°	SS	7kg	Each

This attractive 316G stainless steel handle provides solid hand support when boarding and helps reduce trip hazards by keeping shore power cords and hoses safely off the deck. Designed to fit an existing rod holder (sold separately), these can be easily installed and removed easily, and have a stainless steel gimbal on the bottom to lock into the rod holder nicely.

Specifications:

Reelax Boarding Handle Stainless Steel
Suits 90deg (Straight) Rod Holder.

- Part #: RX98900
- Overall Length: 1000mm
- Tube Diameter: 38mm

Reelax Boarding Handle Stainless Steel
Suits 30deg (Angled) Rod Holder.

- Part #: RX98950
- Overall Length: 1000mm
- Tube Diameter: 38mm



Carbon Fibre Deck Brushes

Part No.	Description	Size	Brush Length	Brush Width	Brush Height	Pack Qty
981003	Bluewing Deck Brush Soft Blue 4ft Carbon Pole Fibre	4ft / 1.2m	8in / 203mm	3in / 76mm	3.5in / 88mm	1
981004	Bluewing Deck Brush Soft Blue 6ft Carbon Pole Fibre	6ft / 1.8m	8in / 203mm	3in / 76mm	3.5in / 88mm	1

- **Durable 30T Carbon Fibre Pole:** Crafted from high-strength 30T carbon fibre, ensuring stability and durability for long-term use. It's resistant to breakage, making the deck brush suitable for various outdoor cleaning tasks.
- **Exceptional Durability:** Crafted from premium beech wood, the brush head is designed for durability and effectiveness. Its robust construction guarantees a thorough cleaning experience, making it a top choice for professional and home use.
- **Ergonomic Design:** The boat brush is engineered with a 45-degree angle for easy and comfortable cleaning. This thoughtful design allows for efficient cleaning of decks, patios, and other surfaces, reducing strain on your back and arms.
- **Easy Assembly:** The cleaning brush is designed for easy assembly without the need for specialized tools. You can quickly start your outdoor cleaning tasks, saving time and effort.



Sunshades


Part No.	Description	Dimensions
985000	Bluewing Sunshade Support Pole S.S	H 1049mm / MAX H 1894mm

Sunshade Support Pole

- **Adjustable Length:** The length is easily adjustable from 1049mm to 1894mm, offering a customizable fit for different boat sizes and sunshade setups.
- **Perfect for Fishing Boats:** Specially designed for fishing boats, the sunshade support pole offers reliable stability to keep your sunshade securely in place, ensuring optimal sun protection during your fishing trips.
- **Durable 304 Stainless Steel:** Made with premium 304 stainless steel, this support pole is resistant to corrosion and rust, ensuring long-lasting performance in marine environments.
- **Easy-to-Use Locking Mechanism:** Featuring a user-friendly locking mechanism, simply rotate the locking part to tighten or loosen, making length adjustments quick and hassle-free.
- **2-Pack:** This set includes two support poles, offering complete support for your sunshade setup, providing enhanced stability for both sides of your fishing boat.




SCAN FOR
MANUAL






Part No.	Description	Dimensions A x B x C
985002	Bluewing Sunshade Black	1.5m x 1.5m x 1.2m / 5ft x 5ft x 4ft
985003	Bluewing Sunshade Black	1.8m x 1.5m x 1.2m / 6ft x 5ft x 4ft
985005	Bluewing Sunshade Black	2.1m x 2.1m x 1.5m / 7ft x 7ft x 5ft
985006	Bluewing Sunshade Black	2.4m x 2.1m x 1.5m / 8ft x 7ft x 5ft

Sunshades

- **Perfect for Fishing Boats:** Designed specifically for fishing boats, the boat sunshade provides exceptional sun protection, ensuring a comfortable experience on the water.
- **Premium Material:** Made from high-quality 1200D polyester, this shade canopy is waterproof, sturdy, and durable. The back features a UV-blocking coating for enhanced sun protection.
- **Multiple Sizes Available:** Choose from different sizes to perfectly fit various boat sizes. Whether you have a small or a large fishing boat, there's a Bluewing boat shade for you.
- **Easy Installation:** The boat sunshade is designed for quick and easy installation. Spend less time setting up and more time enjoying your fishing trips.
- **Portable and Foldable:** This boat umbrella is not only durable but also portable and foldable. It can be easily stored and transported, making it a convenient accessory for any boat owner.



SCAN TO
WATCH





Mooring Line Holder Heavy Duty 2.3m Includes Base, Hook & Pole

Part No.	Description	Material	Weight	Sold As
RX45000	Mooring Line Holder SS H/Duty / FG 2.3M include Base, Hook & Pole	Fibreglass & SS	10kg	Single

Mooring line holder positions the bow and stern lines or diagonal springers at a height that can be safely and comfortably reached from the boat or vessel with out disembarking. Keep your pontoon free from tangled unsightly ropes which you will trip over.

- Made from fibreglass and 316 marine grade stainless steel, mooring line holders are impervious to UV and salt.
- Poles available in white only and are 2.3 metres long.
- Price is per rope holder (1 only base, pole and hook).
- Features heavy duty stainless steel base – 240mm x 150mm x 5mm.
- Mooring ropes additional.



Mooring Whip Cast Standard 4.5m Suit 5-9m Boats

Part No.	Description	Material	Weight	Sold As
RX41000	Mooring Whip Kit Std Cast suits 5-9m Boats	Fibreglass & SS	30kg	Pair

Waterfront homes and canal properties encourage regular and extensive boating. However, despite the convenience of waterfront living, passing water traffic, bad weather, and strong winds, can take their toll on the most carefully secured craft. Reelax Mooring Whips provide a simple, effective solution to the dilemma of needing to keep your boat tied up safely to the wharf for protection and convenience – and being able to slip her lines in just a few seconds. Reelax Mooring Whips are a cinch to secure and release, but effective in keeping the boat safely off the wharf. They are virtually maintenance free too. The Reelax Standard whips are for boats in the 5.0m to 9.0m range. Come as a pair and the whips are 4.5m long.




Mooring Whip 2-Piece 5m with HD 316SS Collar – Suit 9-17m Boats

Part No.	Description	Material	Size	Mount holes	Sold As
RX42100	White Mooring Whip 2-Piece with HD 316SS Collar – Suit 9-17m Boats	Fibreglass & SS	5m	5/16	Pair
RX42200	Black Mooring Whip 2-Piece with HD 316SS Collar – Suit 9-17m Boats	Fibreglass & SS	5m	5/16	Pair
RX42002	Mooring Whip Spare Cast Base Universal - Suits std and heavy-duty	316 SS	173mm x 120mm	5/16	Pair

Waterfront homes and canal properties encourage regular and extensive boating. However, despite the convenience of waterfront living, passing water traffic, bad weather, and strong winds, can take their toll on the most carefully secured craft. Reelax Mooring Whips provide a simple, effective solution to the dilemma of needing to keep your boat tied up safely to the wharf for protection and convenience – and being able to slip her lines in just a few seconds. Reelax Mooring Whips are a cinch to secure and release, but effective in keeping the boat safely off the wharf. They are virtually maintenance free too. The Reelax Super / Heavy Duty whips are for boats in the 9.0m to 17.0m range. Come as a pair and the whips are 5m.

2-piece fibreglass pole in your choice of White or Black with a heavy-duty polished 316G stainless steel base.



Rope Kit to Suit Heavy Duty or Standard Mooring Whips

Part No.	Description	Material	Weight	Sold As
RX40300	Mooring Whip Rope Kit H/Duty Premium (Double Braid)	H/Duty Rope & SS	1kg	Each
RX40100	Mooring Whip Rope Kit Standard Premium (Double Braid)	Rope & SS	1kg	Each

Reelax Rope Kit to Suit Heavy Duty or Standard Mooring Whips. Kit assembled and includes 5m of rope, stainless steel thimble and shackle to fit to your existing mooring whip.

- Premium Double Braid Rope.





Sun Hats

Part No.	Description	Weight	Sold As
RXHAT	Reelax Sun Hats - Grey, Grey/Black, Navy/Black	0.2kg	Single



Grey Sun Gloves

Part No.	Description	Weight	Sold As
RXGLOVES	Reelax Grey Sun Gloves	0.2kg	Pair

Protect your hands from burns and Knicks with these Gloves from Reelax NEW Grey Apparel Range. These Gloves are not only Stylish but also comfortable and practical for your day to day applications in a marine environment.

Available In:

- Medium, Large, Extra Large, XX-Large



Grey Sun Shirts

Part No.	Description	Weight	Sold As
RXSHIRT	Reelax Grey Sun Shirts	0.2kg	Pair

Check out the new apparel from reelax. Need a new shirt perfect for spending the day out on the water in the intense australian sun, these grey sun shirts from Reelax are perfect for you. The high quality shirts are not only comfortable but also practice for day to day use in the sun.

Available In:

- Small, Medium, Large, Extra Large, XX-Large, XXX-Large
- UPF50 Sun Protection







WWW.REELAX.COM.AU

EMAIL:

sales@reelax.com.au

PHONE:

(07) 3445 0486 / 0492 817 599

ADDRESS:

46 Prebble St, Rochedale QLD
4123, Australia